

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior **and the catalog are free upon request.**



***Introduction and Orientation for All
Magnetic Health Quarterly Publications***

Published by:
William H. Philpott, M.D.
17171 SE 29th St.
Choctaw, OK 73020
(405) 390-3009/ Fax: (405) 390-2968
Email: polarp@flash.net



William H. Philpott, M.D.

FIRST IMPORTANT NOTE

The first 17 pages are introductory in nature and to be found at the beginning of each of Dr. Philpott's works.

It's important that you read and understand these basic principles before you study beyond page 17.

If you are thoroughly familiar with these first 17 pages, and understand their contents, then by all means, start with page 18.

SECOND IMPORTANT NOTE

All of Dr. Philpott's books, including this one, can be ordered directly from him at 17171 S.E. 29th Street, Choctaw, OK 73020; (405) 390-3009.

Appropriate magnets can also be ordered from the same source. See Magnetic Catalog entitled "Polar Power Magnets" Catalog #18, this site. We've added to this catalog several pages relevant to costs.

Dr. Philpott says that he will be pleased to answer questions by telephone. Information

WHAT MAGNETIC THERAPY IS

Magnetic therapy is magnetic-electron-enzyme catalysis therapy. Static magnetic fields move electrons which rotate resulting in a magnetic-electron energy field. Static negative magnetic field electrons spin in a 3-dimensional spiral counterclockwise rotation. In a static positive magnetic field, electrons spin in a 3-dimensional spiral clockwise rotation. A positive magnetic field energizes acid-dependent enzymes. A negative magnetic field energizes alkaline-dependent enzymes. Biological response to a positive magnetic field is acid-hypoxia. Biological response to a negative magnetic field is alkaline-hyperoxia. Alkalinity maintains calcium and amino acid solubility and reverses insoluble deposits of calcium and amino acids in such as arteriosclerosis, spinal stenosis, around joints, amyloidosis, Alzheimer's, etc.

The energy activation of biological enzymes is magnetic therapy

WHAT MAGNETIC THERAPY DOES

The biological response to a static positive magnetic field is acid-hypoxia. The biological response to the static negative magnetic field is alkaline-hyperoxia. Positive magnetic field therapy is limited to brief exposure to stimulate neuronal and catabolic glandular functions. Positive magnetic field therapy should be under medical supervision due to the danger of prolonged application, producing acid-hypoxia.

Negative magnetic field therapy has a wide application in such as cell differentiation, healing, production of adenosine triphosphate by oxidative phosphorylation and processing of toxins by oxidoreductase enzymes and resolution of calcium and amino acid insoluble deposits. Negative magnetic field therapy is not harmful and can effectively be used both under medical supervision and self-help application.

Some of the values of magnetic therapy are:

- Enhanced sleep with its health-promoting value by production of melatonin.
- Enhanced healing by production of growth hormone.
- Energy production by virtue of oxidoreductase enzyme production of adenosine triphosphate and catalytic remnant magnetism.
- Detoxification by activation of oxidoreductase enzymes processing free radicals, acids, peroxides, alcohols and aldehydes.
- Pain resolution by replacing acid-hypoxia with alkaline-hyperoxia.
- Reversal of acid-hypoxia degenerative diseases by replacement of acid-hypoxia with alkaline-hyperoxia.
- Antibiotic effect for all types of human-invading microorganisms.
- Cancer remission by virtue of blocking the acid-dependent enzyme function producing ATP by fermentation.
- Resolution of calcium and amino acid insoluble deposits by maintaining alkalization.
- Neuronal calming providing control over emotional, mental and seizure disorders.

"Magnetic therapy has been observed to have the highest predictable results of any therapy I have observed in 40 years of medical practice."

William H. Philpott, M.D.

ABOUT WILLIAM H. PHILPOTT, M.D.

William H. Philpott, M.D. has specialty training and practice in psychiatry, neurology, electroencephalography, nutrition, environmental medicine and toxicology.

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior

He is a founding member of the Academy of Orthomolecular Psychiatry. He is a fellow of the Orthomolecular Psychiatric Society and the Society of Environmental Medicine and Toxicology, and life member of the American Psychiatric Association.

Between 1970 and 1975, he did a research project searching for the causes of major mental illnesses and degenerative diseases, which resulted in the publication of the books, *Brain Allergies* and *Victory Over Diabetes*.

Retiring in 1990 after 40 years of medical practice, he has engaged in research as a member of an Institutional Review Board, which follows FDA guidelines. In this capacity, he guides physicians and gathers data on the treatment and prevention of degenerative diseases using magnetic therapy.

The Linus Pauling Award was presented to William H. Philpott, M.D. in 1998 by the Orthomolecular Health Society, "for his scientific leadership and scholarship spanning the entire history of orthomolecular medicine."

Dr. Philpott says, "When I graduated from medical school, the guest speaker stated, "We have taught you what we know. It may well be that half of what we have taught you is not so. But we don't know which half is so and which half is not so". I learned so much in medical school that I was proud of my acclimation of knowledge. Was this speaker for real or simply a learned clinician acting out a false humility? As I marched down the aisle of graduation from medical school, I was proud of my increased amount of knowledge I had gained. I was especially proud of knowing about medications that were known to relieve headaches. Surely among these medications for headaches was an answer for my mother's headaches. I thought that now I have a solution to the lonely hours I spent as a preschooler while my mother was in bed in a dark room. I was all alone wondering how I could help my mother.

"I specialty trained in neurology and psychiatry and had a flourishing practice in these specialties. After fifteen years of practice, I began to wonder why we had so few answers that worked. There was shock treatment for severely ill patients. I gave over 70,000 of these. There were tranquilizers emerging in the late 50's and early 60's. I used these by the bushels on my mental patients. The efficiency was low and the side effects of tranquilizers were astoundingly frightening. One tranquilizer in an ad in a medical journal claimed less side effects than another tranquilizer and yet it took one-half page of fine print to list the side effects of this proposed better tranquilizer.

"I had six therapists (psychologists, social workers and sociologists) seeing my patients in individual and group therapy. The level of results in schizophrenia and manic-depressives was especially discouraging. In the early 60's, behaviorism came to the rescue in helping some neurotics in the ability to train out their symptoms. What about psychosis for which behaviorism had little help? Electric shock proved to have some temporary help. Tranquilizers were of minor help and the side effects were appalling. Obviously, our system was often even making our patients develop physician-induced illnesses. This was particularly troubling with a five-fold increase in maturity-onset diabetes mellitus when using tranquilizers. Were there answers not learned in residency training that we were ignoring?

"In my third year of medical school in 1949, while attending a small group session at Los Angeles County General Hospital, an allergist made the observation about a patient with anxiety whom he fasted for five days during which her anxiety symptoms left. When he exposed her to a test meal of one of her frequently eaten foods, her anxiety returned. He asked, what is the diagnosis? I was studying medicine with the expressed pur-

pose of becoming a psychiatrist. I spoke up, giving the diagnosis of anxiety-neurosis. He said, "No. This is a food allergy". The rumor was that this allergist had ideas that most of my instructors did not agree with. I dismissed his diagnosis until twenty years later (1969).

"In my second year of psychiatric residency training, I read the book *Neurosis* by Walter Alvarez, M.D. In this book, he describes headaches and many symptoms of neurosis and psychosis occurring during deliberate food testing. I could not believe this. I thought Dr. Alvarez made a fool of himself. After all, he was an internist, not a psychiatrist and why was he dabbling into psychiatry. I dismissed his observations and didn't look at this book again for 16 years. I was wrong for ignoring him.

"I learned behaviorism from Joseph Wolpe, M.D. He and I shared the opinion that schizophrenia must be organic in origin. In 1965, he sent me an article by Theron G. Randolph, M.D.

"Amazingly, Dr. Randolph described many mental and physical symptoms as disappearing on a five day fast and re-emerging during food tests on deliberate food tests of single foods. I set this article aside as impossible.

"In 1969, I was a consultant to a boarding school of some 100 socially and educationally disordered adolescents. I was responsible for a neurological and psychiatric examination on each student. One-third either were or had been psychotic. Saul Klotz, M.D. Internist-Allergist was responsible for their physical needs. He proposed to me that we do a double-blind study to determine the extent to which food allergies and non-allergic hypersensitive reactions related to their numerous symptoms. Together we did a double-blind study using food extracts. The results were overwhelmingly positive. I now had to consider how wrong I had been by ignoring the evidence that had come to me through the years concerning maladaptive reactions to foods and symptom-production.

"I was invited by a private psychiatric hospital to set up a study to determine the causes of schizophrenia. Based on the double-blind study of Saul Klotz, I initiated a study of the relation of foods to symptoms in my mental patients. To this, we added a nutritional survey and a survey for infectious agents. This research followed the advice of Theron G. Randolph, M.D. of a five day fast preceding food testing of single foods. This study resulted in the publication of two books, *Brain Allergies* and *Victory Over Diabetes*. From 1970 through 1990, I tested thousands of both psychiatric and non-psychiatric patients with a five day fast followed by deliberate food testing. The patients were monitored for pH changes and blood sugar changes. Viruses, especially Epstein-Barr, cytomegalovirus and human herpes virus #6 emerged as being consistently in our mental patients and those with more serious physical symptoms. All patients maladaptively reacting to foods had some degree of carbohydrate disorder. Maturity-onset diabetes emerged as the end result of prolonged reactions of food addiction. The brain/gut relationship was obvious.

"Therefore, during my testing I observed many minor to major gut reactions to foods. In 1973, a schizophrenic young man entered my research program. His father, president of a bank in Houston, was so impressed by his son's recovery that he proposed a \$4,000,000 research program using my method of treatment. This money was to be provided to the medical school at Galveston over a four year period. I was invited to Galveston to do the project. However, I was satisfied with my current research program and decided not to move to Galveston for it. I went to Galveston and explained my system of diagno-

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior sis and treatment of psychotics. The medical school accepted the \$4,000,000.

“To my amazement, they didn’t do anything I had outlined. Instead, they diverted the money to other projects but did do a Rossette test on a few schizophrenics. The results are published in the book, *The Biology of the Schizophrenic Process* edited by S. Wolfe. The conclusions from the Rossette test is that schizophrenia is either an immunologic reaction or a viral infection since both of these look the same on the Rossette test. This did confirm my findings but disappointingly, did not provide a statistical value of my treatment.

“It is a strange phenomena that there is inherently a resistance for doctors to recognize the relationship between foods and the development of both acute symptoms and chronic degenerative diseases. Some say they are waiting for more evidence such as more double-blind studies or the resolution of conflicting data. It appears to me that this waiting for evidence which really is already here in abundance, is not really the central problem.

“The problem is that it is hard for doctors to change their behavior once they have learned a comfortable set of routines. Doctors, by and large, have obsessive-compulsive personalities. This serves them well in their massive amount of learning that they need to do during medical school and residency training, however, it also serves as a handicap in making changes. The physician becomes comfortable with a set of routines and uncomfortable with making any changes. Also, there are outside pressures such as, if a specialist changes his routines, he will lose some of his referral resources. Physicians, for many reasons, find it difficult and anxiety-producing, to make changes. In my opinion, this mediates against progress more than any other thing.

“The addition of magnetic therapy to my ecology and infection program became a natural. It had been demonstrated by Albert Roy Davis that a negative (south-seeking) magnetic field both alkalizes and oxygenates the biological system. I had already determined by my monitoring that symptom-producing reactions to foods or chemicals was acidifying and oxygen-reducing. I used alkalizing agents such as soda bicarbonate and oxygen to relieve symptoms. I found that a negative (south-seeking) magnetic field was more predictable in relieving symptoms than alkalization with soda bicarbonate. I had demonstrated that degenerative diseases were simply the extensions in time of the acute reactions in which the disordered chemistry of the acute reaction and of the chronic disease having the same symptoms was identical. It became logical then to extend the time of the application of a negative (south-seeking) magnetic field to reverse and heal degenerative diseases along with avoiding the foods, being well-nourished and treating the viral infections. I was delighted to find that a negative (south-seeking) magnetic field will kill microorganisms whether they are viruses, fungi, bacteria, parasites or cancer cells. Gastrointestinal disorders encompass diseased conditions of the entire gastrointestinal tract (gastrointestinal) from mouth to anus and in organs associated with the gastrointestinal tract such as the gallbladder, liver, and pancreas, emptying excretory contents into the gastrointestinal. The diagnostic classification of these gastrointestinal disorders encompass such as 1) infections, 2) immunologic reactions, 3) the minor gastrointestinal reflux states and irritable bowel disorders as well as the major inflammatory bowel diseases (celiac disease, Crohn’s disease and ulcerative colitis).

“Viral infections, especially noted as herpes simplex I

with lesions on the lips and mucous membrane of the mouth, chronic bacterial infections of the mucus membrane of the mouth and the gums around the teeth, and acute bacterial infections of the mouth and throat such as acute streptococcus infection. The esophagus can be acutely or chronically infected the same as the mouth. The stomach and duodenum can be infected with helicobacter pylori producing ulcers. The gallbladder and pancreas can be acutely or chronically infected with microorganisms. The liver can be acutely or chronically infected with microorganisms, especially noted is viral hepatitis. Cirrhosis of the liver can develop secondary to these infections and or due to the processing of toxins. The anus and adjacent colon can be infected with microorganisms. The small and large colon can be infected with viruses, bacteria, fungi and parasites.

“There are several specific identifiable bacteria that can cause diarrhea and inflammation of the colon. There are specific antibiotics useful in killing these bacteria. My objective observation is that a negative (south-seeking) magnetic field can kill all types of microorganisms (viruses, bacteria, fungi and parasites). This fact is fundamental in understanding the value of magnetic therapy. It is logical to use antibiotics specific for each infection. Magnetic therapy using a negative (south-seeking) static magnetic field and colloidal silver providing a negative (south-seeking) static magnetic field can be used along with the specific antibiotics or used without the antibiotics.”

William H. Philpott, M.D.’s Response upon receiving the Linus Pauling Award

“I really thank you a lot for this. I just wanted to say that Linus Pauling was a friend of mine and he wrote the foreword to my book, *Brain Allergies* and I thought I would just read a little bit of this so that you would see his attitude towards my work.”

“The concept that a change in behavior and in mental health can result from changing the concentrations of various substances that are normally present in the brain is an important one. This concept is the basis of orthomolecular psychiatry, a subject that is treated in considerable detail by Dr. William Philpott and Dwight Kalita in their book, *Brain Allergies*. The other general concept, also a closely related one, is that of human ecology. The idea is that substances in our environment can have a profound effect on mental health and behavior. These can be introduced into the environment as a result of our technical culture.”

“I just wanted you to realize that Linus Pauling did appreciate ecology and nutrition both, and said so in this forward to my book. We shared that as a common interest. I have been the one that was responsible for introducing ecology to orthomolecular medicine and the orthomolecular ideas to ecology medicine. I have been a catalyst in getting orthomolecular medicine and environmental toxicology medicine together. This organization needs to, and is, furthering the interest of Linus Pauling and this very important focus in medicine. It will make a difference and I want to congratulate all of you for this interest; keep it growing because it will become a more substantial part of medicine.”

Ethics of Magnetic Diagnosis and Therapy

Magnetic instruments that have been cleared by the FDA and can make claims of value within the limits of their clearance -- these FDA cleared instruments include but are not exclusive to MRI, XOMED hearing aid, TENS class of instruments, diapulse, nerve testing instruments, Magneto encephalogram, Magneto cardiogram, etc. Industrial magnets have not been cleared as medical instruments and cannot claim cure for any condition or disease. Research is in process to enlarge the scope of claims of value of magnetic therapy. The person using magnets to treat a disease needs to become party to a medical supervised magnetic research project. The

Depth of Penetration / Gauss Field Strength

Antibiotic and anti-cancer therapy require a minimum of 25 gauss. The higher the gauss strength, the more therapeutic.

All measurements are made at the center of the product

Product	Surface	1/2"	1"	1 1/2"	2"	3"	4"	6"	8"	
14" x 25" Multi-	324	100	40	25	15	12	10	8	6	
14" x 25" Multi-Purpose Pad w/ a 4" x 6" x 1/2"	450	190	112	80	60	40	25	15	10	
Mega-Field	70	25	15	8	6	5	4	3	-	
4" x 6" x 1/2"	280	230	180	140	112	70	45	23	15	
4" x 6" x 1"	525	450	355	275	210	125	75	35	25	
Power Disc	840	375	135	65	30	16	10	4	-	
Mini Block	730	260	98	44	23	7	3	-	-	
Low-Profile	1250	325	86	29	15	5	-	-	-	
Two stacked Low-Profile	2130	550	145	50	20	10	3	-	-	
Soother Flex Mat	135	35	20	15	10	4	-	-	-	
Deep Penetrating	200	70	40	30	23	15	10	5	-	
Deep Penetrating Soother Flex Mat w/ 4" x 6" x 1/2"	400	245	180	135	105	65	37	15	7	
2 - 4" x 4"	100	89	68	48	34	13	6	-	-	
4 - 4" x 4"	210	180	140	94	65	32	13	4	-	
Bed Grid**	25 Gauss at 28" above the bed -						-	-	-	■
Super Hat	-	-	-	-	-	-	65*	-	-	

*This is a measurement taken at the equidistant center inside of the hat. All other measurements are unnecessary.

** The 70-magnet Bed Grid supplies a therapeutic value magnetic field of 25 gauss up to 18" away from the surface of the bed.

†Measurements were made with a GM-1A Gauss Meter, Manufactured by Applied Magnetics Laboratory - Baltimore, MD

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior magnets used as described in *The Magnetic Health Quarterly* are industrial magnets for which no claim of cure of disease is made. The application of industrial magnets for sleep and pain is a popular self-help application. The magnetic treatment of diseases demands medical supervised diagnosis and treatment in link with a research institutional review board following FDA guidelines for research. William H Philpott, M.D. presents his observations, theories, research protocols and answers to questions for consideration in the hopes of making progress in the application of Magnetic Therapy. Those interested in becoming party to the magnetic research project should contact William H. Philpott, M.D. The goal of research is to firmly establish magnetic therapy as a part of traditional allopathic medicine, which will popularize the application of and provide for insurance coverage for magnetic therapy.

Those choosing to proceed with use of magnets for medical purposes without medical supervision do so on their own responsibility. There is no restriction of the purchase of magnets for whatever reason they are used. There is no restriction on the writing, releasing, acquiring or purchasing of information about magnets.

Disclaimer

I do not claim a cure for any degenerative disease or even guarantee relief of pain or insomnia by means of magnets. My only claim is that there is evidence justifying a definitive controlled research project following Federal Food and Drug Administration (FDA) guidelines to determine the value and limitations of magnetic therapy. These guidelines require a physician diagnosis and physician monitoring under the supervision of a Scientific Institutional Review Board. The application of magnetic fields to humans has been approved by the FDA, which were based in part on toxicology studies, and has been classified as "not essentially harmful".

How Dr. Philpott Changed His Medical Practice

This *Magnetic Health Quarterly* represents my personal focus on health maintenance and disease reversal that has developed from my four years of basic medical school education, specialty training in neurology, psychiatry, allergy-immunology, forty years of medical practice, and my post-retirement research that guides physicians in an examination of the values of static magnetic field application to prevent and reverse degenerative diseases. I am proud to be a medical physician and I am convinced that medical science has a central truth about health maintenance and disease. The improvement in medical practice during my period of practice and observation has been tremendous. Beyond the progress what can and what should we incorporate in established scientific knowledge to the practice of medicine? This *Magnetic Health Quarterly* is involved with what I have observed that has been largely ignored or left out in spite of the abundance of information on the respective subjects. I have systematically recorded my observations concerning these neglected areas.

The public, through their congressional representatives have mandated the National Institutes of Health to widen its scope of research to include promising alternative areas beyond the current traditional application of medical science. This is a wise move since there are valuable alternative areas that have been neglected or ignored. To fulfill its mandated obligation, the National Institutes of Health have appointed advisory committees in important scientific areas to provide guidelines for research. One of the advisory committees is the Electromagnetic Committee, which includes five Ph.D. physicists, and two M.D.'s knowledgeable in electromagnetics. The two M.D.'s are Robert O. Becker, M.D. and myself. Based on the recommendations of this committee, research projects financed by NIH grants are in process.

Biochemistry has become more readily understood than biophysics. Biochemistry has developed many promising, symptom-relieving agents and synthetic replacements for the failing human system. Biochemistry has helped us come to understand the role of nutrition, the role of oxygen, and the roles of many, many more necessary biochemical functions of human metabolism. There are great economic rewards for those marketing these valuable biochemicals. Biophysics has more slowly progressed in its medical applications. The current medical horizon holds the promises of biophysics being equal to or even superior to the therapeutic values of biochemistry. This emerging promise of values especially relates to the biological responses to magnetic fields. The values of biological responses to heat and cold have been well incorporated into physical medicine while the biological responses to magnetic fields has been neglected.

The biological response to magnetic fields has been, to a considerable degree, a mystery until recently. Medical science has been using magnetism without knowing it was using magnetism. Examples are such as electro-convulsive therapy used in mental illness. We can now understand that electricity produces magnetic fields. For example when an electric current produces a high neuronal exciting positive (north-seeking) magnetic field it produces a seizure, following which the brain switches its magnetic polarity from a usual positive (north-seeking) to a negative (south-seeking) magnetic field for a few minutes. This electromagnetic-produced general anesthesia calms neuronal functions and relieves mental symptoms. The thousands of enzyme catalytic reactions occurring in human physiology are energy-driven by magnetic fields. By understanding magnetic field energy enzyme catalysis, we no longer assume some mysterious, spontaneous enzyme catalysis, but instead, with this new knowledge, magnetic fields can be harnessed to energy-drive specific desired enzyme catalysis. Thus, a static negative (south-seeking) magnetic field can be arranged to produce melatonin and growth hormone during sleep. A static negative (south-seeking) magnetic field can be harnessed to enzymatically produce adenosine triphosphate (ATP) and reverse the inflammatory consequences of oxidation reduction end-products (free radicals, peroxides, acids, alcohols and aldehydes) in which oxygen is released from its bound state in these inflammatory products.

It is universally true that no one wants to admit that they have symptoms from the favorite foods they are eating. They ask, how could a food that makes me feel good when I eat it, make me sick 3 or 4 hours later? To most people, this is unbelievable. Physicians are, equally with their patients, resistant to accepting maladaptive reactions to foods as a cause of their symptoms. The physician is taught to look everywhere else than foods and also if it is foods there is likely little or nothing that can be done about it, thus, symptoms produced by maladaptive reactions to foods is a grossly neglected area in therapeutic medicine.

A significant aspect of this dilemma of dismissing food reactions as causes of acute symptoms and degenerative diseases is inherent in the change that occurred in the 1920's when antibodies and complement disorders were discovered. Up to that time, an allergic reaction was simply a symptom production by an exposure to a substance. After this discovery of isolatable immune mechanisms as an explanation for allergy, allergic reactions lost their mystery. They went from no known cause to known immunologic causes. In terms of symptoms from food reactions, those without discernable immunologic

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior

factors were dismissed as imaginary or psychosomatic and so forth. Only in more recent years, has there emerged evidence of non-immunologic causes of symptoms from foods. These are now being referred to as non-immunologic sensitivities or addictions. The resistance to accept food reactions as the cause of symptoms remains only in the minds of patients and physicians alike.

In the 1940's, Albert Rowe, M.D., Allergist, of San Francisco, observed the relationship of non-immunologic food reactions producing symptoms. He used an initial avoidance followed by a rotation diet to handle these symptoms. In 1950, I attended, along with a dozen other senior medical students, a presentation by Alfred Rouse, M.D., an Allergist. He presented a case of a woman who became anxious when given a specific food. He asked our class, "What is the diagnosis?" I was studying medicine with the specific intention of becoming a psychiatrist. I answered his question with, "This is an anxiety neurosis." He rejected my diagnosis and to my surprise, maintained pleadingly, that an allergic reaction was involved. At the time, all I obtained from this was that he had ideas that were different than most of my instructors and therefore, I dismissed his hypothesis.

In 1952, while a resident in psychiatry, I read a book written by Walter Alvarez, M.D. entitled, *The Neuroses*. I was interested in what this honored internist at Mayo Clinic was saying about neuroses. Surprisingly, he devoted several pages to describing headaches, dulled brain function and emotional reactions to many different types to food reactions. At the same time in my residency training, all of my instructors were completely ignoring these possibilities. At the time, I thought Dr. Alvarez had made a fool of himself. He wasn't a psychiatrist. Why would he be drawing all of these conclusions that had a bearing on psychiatry?

In 1966, my friend Joseph Wolpe, who is referred to as the father of behaviorism, sent me a paper by Theron G. Randolph, M.D. In this paper, Dr. Randolph described fasting patients for five days and when feeding them meals of single foods, many symptoms emerged including the major symptoms of schizophrenia, manic-depression and neuroses. At the time, I thought this was impossible and I set the paper aside. It was four years before I read this paper again.

In 1970, I was a consultant to a school treating adolescents who were socially and educationally disadvantaged. Saul Klotz, M.D., Allergist, proposed that we do a double-blind study on these patients to see if any of their symptoms related to food reactions. This double-blind study was overwhelmingly positive, and from this I was encouraged to initiate a five-year study into the relationship between reactions to foods, chemicals and inhalants to mental symptoms. This resulted in my book, *Brain Allergies*. I was encouraged to do this project by Theron G. Randolph. I reviewed the writings of Herbert Rinkle, Frederick Spears, Walter Alvarez, Howard Rappaport and others. Marshall Mandell spent one day a week for five years supervising my examination of my patients. I followed Theron G. Randolph's method of fasting for five days followed by test exposures to single foods for the next month. The evidence was overwhelming. This study confirmed the allergists who had made observations of the emergence of emotionally and even mentally disordered symptoms due to food reactions, chemicals and inhalants.

Quite unexpectedly, I made another observation that resulted in my book, *Victory Over Diabetes*. The maturity-onset diabetic patients among my mental patients, not only had the

clearance of their mental symptoms but also the reversal of their diabetes. It became clear that maturity-onset; non-insulin type diabetes mellitus is the product of food addiction. John Potts followed up on this with four excellent statistical studies all of which were published in the abstract issue of the *Journal of Diabetes*. There then followed what to me is a strange phenomenon. Even though this work was done the right way and published in the right place, it had no serious impact on the practice of medicine. Here I had demonstrated conclusively that maturity onset diabetes is due to food addiction and that a 4-Day Diversified Rotation Diet routinely reversed diabetes mellitus and that following such a diet prevented the development of diabetes mellitus. Yet, it was virtually ignored. This again, shows how difficult it is to establish a new system of therapy. You are met with all the resistance of the already established method, even though a new method is demonstrated to be superior.

It is a strange phenomenon that in spite of this knowledge about maladaptive reactions to foods and the role of addiction in these foods, we still have numerous diets to reduce weight or to treat diabetes, which ignore food addiction as the driving force of the compulsion to eat specific foods and overeat. Diets that do not honor and properly treat food addiction drives the person, first of all, into the early stage of the diabetes mellitus disease process such as hypoglycemia and the later stage of hyperglycemia given the diagnostic name of diabetes mellitus type II. Properly engineered, the 4-Day Diversified Rotation Diet with the help of magnets initially relieves the symptoms of addiction so the person is comfortable while overcoming their addiction, help in retraining the compulsion to overeat will not only manage obesity but also prevent or reverse type II diabetes mellitus. It is known that approximately 80% of patients, at the time they are diagnosed as having maturity onset-type diabetes mellitus Type II, are obese. It was interesting for me to observe that the reversal of the diabetes mellitus in my patients was not dependent on weight reduction. The diabetes mellitus disappeared within five days as soon as the subject had gone through the food addiction withdrawal phase. There was, at that time, no time for weight reduction to have occurred. Obesity is a stress and should be reversed but it is not obesity as such that makes the person diabetic. It is food addiction.

THE THERAPEUTIC SIGNIFICANCE OF NEGATIVE MAGNETIC POLARITY AND NEGATIVE ION POLARITY HOW NEGATIVE IONS ARE FORMED IN NATURE

The atmosphere, and even within biological systems, is flooded with free static field electrons. There are electromagnetic conditions both in the atmosphere and within biological subjects which turn these static electrons to have either a positive or a negative polarity. In the positive polarity, the electrons are spinning clockwise. In the negative polarity, the electrons are spinning counter-clockwise. The activated electrons attach to particles that are available and produce ions, either positive or negative. Before and during a storm, the atmosphere is flooded with positive ions. The biological response of both animals and people to these positive ions is well-documented as producing tension, anxiety, depression and in cases of predisposed illnesses, physical or mental, the symptoms of the illness are worsened. After a storm is over, then the atmosphere is flooded with negative ions in which both animals and people respond with a sense of comfort and symptom-reduction.

In many parts of the earth, there are waters that have been known for their healing value. A volcanic mountain is a negative magnetic field and is in fact, a magnet. The volcanic mountain is a negative

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior

magnetic field and the molten mass beneath the volcano is a positive magnetic field. Water that filters down through the volcanic ash of this negative magnet mountain carries a negative ion charge. Characteristically, there are 70+ minerals that are low atomic weight minerals which become negative ions in which negative counter-clockwise spinning electrons attaches to the minerals. This is a stable situation in which when the water with its minerals is removed from the mountain, it remains composed of negative ions. At this same time, the water is always alkaline and is micro water in which the water is in smaller units than water that does not have negative ions. It is important to observe that a volcano and its molten mass below is indeed a magnet, the same as the magnets that are made industrially with negative and a positive magnet field. It is important to note that this negative magnetic field itself of the negative pole of the volcanic mountain charges the low atomic weight minerals to be negative ions. In the same order the negative magnetic field of an industrially produced magnet makes negative ions.

HOW NEGATIVE IONS ARE FORMED BY ION GENERATORS AND BY STATIC MAGNET- FIELDS

Electrolysis-type ion generators can be arranged to release into the air only negative ions. Thus a house can be flooded with negative ions with health values. The negative magnetic field of a static field magnet can be used to produce negative ions. The negative magnetic field of a static field magnet activates electrons to be spinning counter-clockwise. Although the magnet field is static, the electrons in the field are activated and thus are not static. Thus, a static negative magnetic field is indeed an energy field with movement spinning of the electrons in that field. A negative magnetic field is a source of electro magnetic energy in terms of a biological response. Thus, sitting a glass of water on the negative magnetic field of a static field magnet will electromagnetically charge up the water to have negative ions of both the mineral content and other particles in the water. Placing nutrients on the negative magnetic field of a static field magnet will charge up the nutrients to be electromagnetic charged negative ions.

THE SIGNIFICANCE OF NEGATIVE MAGNETIC POLARITY OF A STATIC FIELD MAGNET AND NEGATIVE IONS IN WATER, AIR AND NUTRIENTS NEGATIVE ION CHARGED

The biological response to a negative electromagnetic polarity, whether from a static field magnet or negative ions is that of alkaline-hyperoxia. The biological response to a positive static magnetic field and positive ions is acid-hypoxia. Much is known of the significance of alkaline-hyperoxia maintaining health and acid-hypoxia toxicity producing degenerative diseases. It is health-promoting for us to drink water from a natural source such as the volcanic source which has turned the water into alkaline micro negative ion water or the water treated by an electrolysis unit producing alkaline micro negative ion water or placing the water on the negative field of a static field magnet. It is wise to flood the air of our homes with negative ions from a negative ion generator. It is health-promoting and disease-reversing to use all sources of negative magnetic fields and negative ions to keep ourselves well and reverse our acid-hypoxic toxic diseases.

The negative magnetic field of a magnet provides the optimal therapeutic value for body treatment. Treatment of air, water and nutrients are a valuable adjunct to magnet therapy.

Negative electromagnetic polarity is the energizer of oxidoreductase enzymes which make adenosine triphosphate which is the body's central enzyme energizer and the central metabolic detoxifier.

STATIC MAGNETIC FIELD SOURCES FOR PRODUCING NEGATIVE IONS OF WATER AND NUTRIENTS

(See *Polar Power Magnets Catalog*)

- One 4" x 6" x 1/2" ceramic block magnet. This is a flat surface static field magnet with positive and negative magnetic polarity on opposite sides.

USES:

On the negative magnetic pole side, place water (municipal treated or ground water) and nutritional supplements for a minimum of five minutes. The longer, the better.

There are many other uses for this 4" x 6" x 1/2" magnet such as heart treatment for atherosclerosis, treating aches and pains, inflammation, spinal treatment, local infections, local cancers and much more. See my Magnet Therapy book and my quarterlies.

Cost:	\$ 49.95
Shipping:	<u>8.50</u>
	\$ 58.45

- Ceramic disc magnets of 1-1/2" x 1/2". These magnets are provided as Soother One which has two 1-12" x 1/2" disc magnets and a band, 2" x 26". These discs have positive and negative magnetic fields on opposite sides.

USES:

The negative magnetic pole of the disc can be used to produce negative ions of water and nutrients.

There are multiple uses for the two discs and wrap such as bitemporal placement for headaches and relief of emotional and mental symptoms, aches and pains, inflammation and small local infections and small local cancers.

See my writings for further details.

COST:	
Soother One	\$ 21.95
Shipping	<u>8.50</u>
Total	30.45

**William H. Philpott's
MAGNETIC THERAPY MOTTO:**

I do not claim that magnets cured you; you claim that magnets cured you.

Even without being promised a cure, magnetic therapy is worth a try!

THE DEFINITION OF MAGNETIC POLARITY AS USED IN HUMAN PHYSIOLOGY

A magnetometer is used to identify positive (+) and negative (-) magnetic poles. A magnetometer is a scientific instrument, which identifies magnetic polarity in terms of electromagnetic polarity, which is positive (+) and negative (-) rather than the geographic compass needle identification of north and south. When using a compass to identify magnetic poles, a north seeking compass needle identifies a negative magnetic field of a static field permanent magnet. The north-seeking needle of a compass is magnetic positive and therefore points to (seeks) the magnetic negative north pole of the earth and also the magnetic negative magnetic field of a static field permanent magnet. The south-seeking needle of a compass is magnetic negative and therefore points to (seeks) the magnetic positive south pole of the earth and also the positive magnetic field of a static field permanent magnet.

Static field permanent magnets can properly be characterized as DC magnets because they are magnetized by a direct electric circuit current in which the positive electric pole produces a positive magnetic field and the negative magnetic pole produces a negative magnetic field. Those magnetically charging magnets from a DC electric current understand this relationship. Robert O. Becker, M.D., prefers to use the term DC magnets as applied to static field permanent magnets.

In 1600, William Gilbert (*DE MAGNETE*) was the first to point

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior out that the navigator oriented himself with the compass needle pointing toward north, which he called north, when in fact the compass needle pointed north is a south magnetic field.

Several scientists throughout the years have identified this error in naming the magnetic poles. This error in identifying poles still persists as tradition.

The physicist, B. Belaney (*New Encyclopedia Britannica* 1986, Vol. VIII, pages 274-275) again identified this geographic error in identifying magnetic poles and termed it "semantic confusion". To avoid this semantic confusion, he recommended using the electrical polarity definition of positive (+) and negative (-) as applicable to magnetic poles in which a positive electric pole (+) is also a positive magnetic pole (+qM) and a negative electric pole (-) is also a negative magnetic pole (-qM). "M" stands for magnetism.

The body is an electromagnetic organism with a direct current (DC) central nervous system in which the brain with its neuronal bodies is a positive magnetic field and, also produces a positive electric field. The extensions from the neuronal bodies are a negative magnetic field and also produce a negative electric field. The human body does not have a storage battery from which electricity flows or an electric dynamo from which electricity flows. Rather, by a mechanism comparable to a magneto, the human body turns its magnetic fields into DC electric current. It is also true that each cell of the body has a positive and negative magnetic field in its DNA. Since the human body functions on a DC electromagnetic circuit, it is especially appropriate to use the positive (+) and negative (-) identification of magnetic polarity when relating magnetism to the human body. The human body does not have a north and south poled field, but rather has positive and negative magnetic fields from which electricity is produced. A geographic definition not applicable to human physiology whereas, an electromagnetic definition of magnetic polarity is essential. If and when the geographic definition of polarity is used, it still requires a translation into usable terminology for application to human physiology.

For the above reasons the definitions of positive (+) and negative (-) magnetic fields are used when applying magnetics to human physiology. The traditional compass needle oriented naming of magnet poles is included in brackets as negative (south-seeking) and positive (north-seeking).

There is a need to understand the navigational error in identifying the magnetic poles as well as the parallel identification in identifying DC electrical current poles and DC static field permanent magnet poles made from the DC current. To those who have examined for and identified the distinctly opposite biological responses to opposite magnetic fields, the separate identification of the magnetic poles is an important must. To those not experienced in the knowledge of separate biological responses to opposite magnetic poles, the magnetic poles and the gauss levels needed for these responses is what is making biophysics become a predictable science parallel to the predictable industrial application of magnetics.

STATUS OF THERAPEUTIC MAGNETISM

Since Ancient times, the beneficial biological response to magnetism has been praised by a few and doubted by a large number. The magnetic force at a distance that could not be seen leads to doubts of magnetism biological responses. The development of the compass produced a general acceptance of the actuality of the existence of magnetism. During the past two hundred years, the interest in the therapeutic value of magnetism has experienced considerable fluctuations.

The physicist, Albert Roy Davis' observations of the opposite biological response to opposite magnetic poles, set the stage for understanding there were two biological responses to magnetism. It is now known biological response to separate magnetic poles can

be as predictable for biological responses as the use of electromagnetism used in our industrial world. It is now understood the magnetism functions at the atomic level with the movement of electrons which influence biological function. The positive magnetic field (traditional north-seeking pole) spins electrons clockwise while the negative magnetic (traditional south-seeking pole) spins electrons counterclockwise. These opposite electron spins from opposite magnetic poles provides predictable opposite biological response. The biological response to the positive magnetic field is acid-hypoxia. The biological response to the negative magnetic field is alkaline-hyperoxia.

Robert O. Becker² documented the separateness of the positive (north-seeking) and negative (south-seeking) magnetic fields. The positive (north-seeking) magnetic field is the signal of stress injury. The negative (south-seeking) magnetic field governs healing and normalization of biological functions. In terms of neuronal response, the positive (north-seeking) magnetic field is exciting and when sufficiently high such as during sun flares, can even precipitate psychosis in those so biologically predisposed. The negative (south-seeking) magnetic field is neuronal calming and encourages rest, relaxation, sleep and when sufficiently high in gauss strength, can produce general anesthesia. Robert Becker anesthetized his small experimental animals with a negative (south-seeking) magnetic field.

My research has abundantly confirmed these observations of Albert Roy Davis and Robert O. Becker. As a neurologist, I documented by EEG that a positive (north-seeking) magnetic field is neuronally exciting. The higher the gauss strength, the higher the excitement. A sufficiently high positive (north-seeking) magnetic field can evoke seizures in those so predisposed. A negative (south-seeking) magnetic field is neuronal calming. The higher the gauss of the negative (south-seeking) magnetic field, the slower the brain pulsing on the EEG. This information sets the stage in understanding how a negative (south-seeking) magnetic field controls neuronal excitement in neurosis, psychosis, seizure potential, addictive withdrawal and movement disorders. not applicable to human physiology whereas, an electromagnetic definition of magnetic polarity is essential. If and when the geographic definition of polarity is used, it still requires a translation into usable terminology for application to human physiology.

For the above reasons the definitions of positive (+) and negative (-) magnetic fields are used when applying magnetics to human physiology. The traditional compass needle oriented naming of magnet poles is included in brackets as negative (south-seeking) and positive (north-seeking).

There is a need to understand the navigational error in identifying the magnetic poles as well as the parallel identification in identifying DC electrical current poles and DC static field permanent magnet poles made from the DC current. To those who have examined for and identified the distinctly opposite biological responses to opposite magnetic fields, the separate identification of the magnetic poles is an important must. To those not experienced in the knowledge of separate biological responses to opposite magnetic poles, the magnetic poles and the gauss levels needed for these responses is what is making biophysics become a predictable science parallel to the predictable industrial application of magnetics.

SINGULAR BIOLOGICAL RESPONSE TO SINGULAR MAGNETIC POLE FIELDS

There is a classic traditional mechanical magnetic model from which there is a predicted two magnetic pole effect from a single magnetic pole field. In this model, the magnetic field radiates out from the singular magnetic pole of a magnet and turns back to join the opposite pole. The traditional assumption is that when the mag-

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior netic field changes direction going backward towards the magnetic field on the other side (other pole) of the magnet that this changed direction is the opposite magnetic pole.

I have prepared magnetic fields honoring this assumption that there are of necessity both magnetic poles on the same side of the flat surfaced plate-type magnet with poles on opposite sides of the flat surface. I have compared this with the assumption that there is a single magnetic field on opposite sides of a magnet. I have not demonstrated by biological responses including brain wave (EEG) responses that there are two opposite magnetic fields on one side of the magnet. Consistently, I have observed a single magnetic pole biological and EEG response to single magnetic fields of flat surfaced magnets with poles on opposite sides of the flat surface.

There is another non-traditional magnetic mechanical model that states that the magnetic poles change at the equator by rotating 180 degrees (minor image). Obviously, in the case of the earth, the magnetic fields change at the equator producing a northern hemisphere of a negative (south-seeking) magnetic field and a southern hemisphere of a positive (north-seeking) magnetic field. This model indicates that the magnetic field radiating up from the negative (south-seeking) magnetic field of the magnet as well as the magnetic field that buckles back to the opposite side of the magnet are both a negative (south-seeking) magnetic field and only become the opposite magnetic pole field when it enters the half-way point of the magnet (equator).

Even though a static magnetic field does not move, it still is an energy field by virtue of the fact that electrons are moved by the static magnetic field. The negative (south-seeking) static magnetic field rotates (spins) electrons in that field counter-clockwise. A positive (north-seeking) static magnetic field rotates (spins) electrons in that field clockwise. The movement of electrons in a static magnetic field is called the Aharonov-Bohm electromagnetic potential. Akaira Tonomura has also confirmed this. This change in rotation between the positive (north-seeking) and negative (south-seeking) magnetic fields occurs at the equator of the magnets and not at the point where the magnetic field turns back toward the opposite magnetic field. This magnetic mechanical model agrees with the clinical response evidence of the magnetic field being a full individual field on each side of the magnet.

The magnetic field remains the same pole whether directly above the magnet or the magnetic field that is turning back toward the opposite side. If it did become the opposite pole when it turned back, it would then not proceed to the opposite side. This is true since the same poles repels. Therefore, it has to remain the negative (south-seeking) pole that buckles back toward the positive (north-seeking) magnetic field. This being true, the pole cannot change until it reaches the equator in the magnet between the two poles. An example is that in the case of the earth's magnetic field. The south pole (+) goes toward the north pole (-) and changes polarity at the earth's equator.

(See Depth of Penetration/Gauss Field Strength, Page 4)

MAGNETIC FIELDS BIOLOGICAL RESPONSES UNIVERSAL TRUTHS

Magnetic biological responses are universally the same under any and all sections of the body tested and both of earth's magnetic hemispheres.

1. Centrad and centrifugal atomic energy expressions.

At the atomic level, the counter-clockwise rotation pulls electrons toward the center proton (centrad) while the clockwise rotation of electrons pushes outward from the center proton (centrifugal).

Therefore, there are no free radicals in a negative magnetic field with a counter-clockwise spiral spin of electrons pulling to-

ward the center. Thus, a negative magnetic field is a biological anti-stress, anti-inflammatory response.

There are free radicals in a positive magnetic field with a clockwise spiral spin of electrons pushing away from the center. Thus, a positive magnetic field is a biological stress-inflammation response.

2. Centrad and centrifugal weather energy expressions.

In the northern magnetic hemisphere of the earth the energy expression of counter-clockwise spiral spinning of electrons is with energy expression being toward the center.

In the southern magnetic hemisphere of the earth the energy expression of the clockwise spiral spinning of electrons is with the energy expression being away from the center.

Varied colliding wind streams with varied temperatures and varied pressures can override the earth's natural occurring hemispheric magnetic polarities and produce a local magnetic field opposite to the earth's hemispheric magnetic field. In any event, wherever it is in the earth's hemispheric magnetic field, a counter-clockwise rotation energy pulls toward the center (centrad) and clockwise rotation energy pushed away from the center (centrifugal).

3. The Neuronal pulsing frequency relationship to neuronal magnetic field strength.

The brain's response to a negative magnetic field is a decreasing of the pulsing frequency of the brain relating specifically to the gauss strength of the magnetic field. The higher the gauss strength is the slower the pulsing magnetic field. With a positive magnetic field, the higher the gauss strength, the faster the pulsing field. This reveals that a negative magnetic field is anti-stress and the positive magnetic field is biological stress.

It also holds that the pulsing frequency of the brain can be driven by an external pulsing field using sight, sound, tactile or brain stem with the pulsing field being placed on the upper back of the neck and low occipital. The pulsing field can drive the magnetic field of the brain. Pulsing fields of 12 cycles per second and less evoke a brain negative magnetic field. The intensity of the pulsing determines the gauss strength of the pulsing field. The pulsing field plus the intensity of the pulsing field determines the magnetic behavioral state of the brain. Eight to twelve cycles per second are relaxation. Six cycles per second is relaxation. Four cycles per second is dissociation. Three cycles per second is lapse states. Two cycles per second is sound sleep. One cycle per two seconds is harmless general anesthesia.

4. A 3-dimension spiral electron spin is provided by magnetic fields.

In electromagnetic physical nature, the 3-dimensional spiral is frequently expressed. This 3-dimensional spiral is present in the light refractory levo (left) substances and dextro (right) substances. These are 180-degree mirror image isotopes. Magnetism has the same levo (left) and dextro (right) 3-dimensional spiral spin of electrons, the same as the levo and dextro substances in relationship to light. The biological effects are opposite as to the separate energy manifestations. In the case of amino acids and fats, only the levos have nutritional value. In the case of magnetism, the levo (left spiral electron spin) is an anti-stress, healing and normalizing counter-stress correction from the biological stress dextro (right spiral electron spin).

5. A positive magnetic field is stressful and therefore, does not heal the human body.

6. A positive magnetic field is biologically stressful, raises endorphins and with frequent use, is addicting.

7. A negative magnetic field is biologically anti-stress, does not raise endorphins and is not addicting.

8. A negative magnetic field is anti-stressful and governs human cellular normalization and healing.

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior

9. A negative magnetic field governs sleep by evoking melatonin production by the pineal gland.

10. A positive magnetic field blocks the production of melatonin by the pineal gland.

11. A positive magnetic field biological response is acid-hypoxia.

This is compatible with the metabolism of microorganisms and cancer and not compatible with human metabolism.

12. A negative magnetic field biological response is alkaline-hyperoxia.

This state is necessary for human metabolism and is not compatible with the metabolism of microorganisms and cancer.

13. A positive magnetic field biological response is vasodilatation and acid-hypoxia.

This makes it unsuited for the treatment of edematous and bleeding areas from acute injuries.

14. A negative magnetic field biological response is alkaline-hyperoxia, and due to the hyperoxia, makes it useful for stopping the bleeding of acute injury, is not vasodilating and resolves the edema of acute injuries.

15. The positive magnetic field acid-hypoxia, in short-term exposure of minutes to a few hours, produces an inflammatory red, raised, edematous area due to the acid-evoked vasodilatation inflammatory reaction.

16. The positive magnetic field acid-hypoxia continuous long-term exposure of a week to two weeks reveals in fact, an acid-evoked inflammatory vasculitis (acid-burn), which is red, raised, edematous and itching with bacterial growth pustules.

17. The acid-hypoxia biological response to a positive (north-seeking) magnetic field activates the acid-dependent transferase enzyme catalysis of fermentation production of adenosine triphosphate for microorganisms (viruses, bacteria, fungi, parasites) and cancer cell metabolism which also replaces the alkaline-hyperoxia necessary for oxidation-reduction enzyme catalysis production of ATP necessary for human cell metabolism.

18. The alkaline-hyperoxia biological response to a negative (south-seeking) magnetic field activates the alkaline-dependent oxidoreductase enzyme catalysis of oxidation-reduction production of ATP necessary for human cell metabolism which also replaces the acid-hypoxia necessary for microorganisms and cancer cell metabolism.

19. A negative magnetic field activation of alkaline-dependent oxidoreductase enzymes in an alkaline medium processes (detoxifies) the biological inflammatory free radicals, peroxides, acids, alcohols and aldehydes to non-inflammatory water and molecular oxygen.

20. A sustained positive (north-seeking) magnetic field acid-hypoxia sustains the necessary life energy of microorganisms and cancer cells and destroys the necessary life energy of human cells.

21. A sustained negative (south-seeking) magnetic field alkaline-hyperoxia sustains the necessary life energy of human cells and destroys the necessary life energy of microorganisms and cancer cells.

22. Cancer cells have a positive magnetic field charge.

23. Normal human cells have a negative magnetic field charge.

24. Microorganisms have a positive magnetic field charge by virtue of their high mineral content with a high conductance and thus stressful higher pulsing frequency whereas human cells with lower mineral content and lower conductance

has a non-stressful low pulsing frequency.

25. The biological response to a magnetic field is determined by the 3-dimensional spiral rotation spin of the electrons in the magnetic field and not by the directional approach of the magnetic field to the biological specimen.

a) Therefore, a flat-surfaced, static field magnet with magnetic poles on opposite sides, has a separate, distinct magnetic field over each side.

b) The directional change of the magnetic field turning back around the sides of the magnet to the opposite pole side, does not change the magnetic polarity electron spin until it reaches the halfway point (equator) between the magnetic fields for the magnet.

c) A unidirectional magnetic field is not necessary to maintain a separation of magnetic fields. The 3-dimensional spiral electron spin and not the direction approach to the biological specimen determines the separate biological response to opposite magnetic fields.

26. IMMUNOLOGIC RESPONSES TO OPPOSITE MAGNETIC FIELDS

A. Substance + Positive magnetic field>sensitization.

Dead or attenuated microorganism+ Positive magnetic field>sensitization. (vaccination)

B. Substance to which subject is immunologically reactive + Negative magnetic field>desensitization.

27. ENZYMATIC RESPONSE TO OPPOSITE MAGNETIC FIELDS

A. Food substrate + Oxidoreductase enzymes + Negative magnetic field> ATP +oxidation remnant magnetism (Negative magnetic field)

B. Food substrate + Oxidoreductase enzymes + Positive magnetic field>No ATP production and no oxygen or water production

C. Substrate (free radicals, peroxides, acids, alcohols and aldehydes) + oxidoreductase enzymes + negative magnetic field>oxygen and water

D. Substrate (free radicals, peroxides, acids, alcohols and aldehydes) + oxidoreductase enzymes + No oxygen and no water positive magnetic field>produced

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior endorphins and serotonin, microorganisms and cancer cell replication.

E.
Food Substrate +
Acid dependant transferase enzyme + ATP by fermentation +
Positive magnetic field.....>positive remnant magnetism

28. HEAVY METAL DETOXIFICATION

Heavy metals are all electro-positive. Heavy metals produce acidity and metabolically damaging free radicals and acids. Heavy metals biologically damage by attaching to (complexing) biological macromolecules.

A negative magnetic field replaces the electro-positivity of heavy metals with an electromagnetic negativity and thus blocks, reverses and detoxifies heavy metals, tissue complexing, free radicals, and acid production. In the presence of a maintained static negative magnetic field heavy metals are dispersed of in the urine in a non-toxic state.

A.
Toxic electro-positive
heavy metals
(aluminum, mercury,
lead and other heavy metals)
+ a sustained static negative
magnetic field attached
to the heavy metal.....>Dispersed of in the urine as non-toxic
electro-negative metal

29. POSITIVE MAGNETIC FIELD NEUROPATHY

The acid-hypoxic response to a positive magnetic field placed over a nerve trunk produces a peripheral neuritis of tingling, numbness, pain, loss of motor function, loss of sense of pressure, etc. This can begin to occur within 3-4 hours of continuous exposure to a positive magnetic field.

30. NEGATIVE MAGNETIC FIELD HEALING OF NEUROPATHY.

The alkaline-hyperoxia response to a negative magnetic field exposure reverses positive magnetic field neuropathy, toxic neuritis, dialectic neuropathy, etc.

31. OPTIMIZING THYMUS GLAND DEFENSE

The biological stress of a positive magnetic field can be used to optimize thymus gland functions against infections and cancer. Due to the acid-hypoxia evoked by the positive magnetic field the external exposure to this magnetic field should not exceed 1/2 hour, periodically. This same principle of short duration exposure to the positive magnetic field applies to increased hormonal production to catabolic hormone glands such as the adrenals.

32. CAN APPLICATION OF THE POSITIVE MAGNETIC FIELD BE HARMFUL?

The FDA has classified magnetic field application to humans as "not essentially harmful." This 'not harmful' classification of magnetic field application to humans is a half-truth. This 'not harmful' classification occurred due to the pre-market testing for the MRI. The short duration of MRI scan exposure to both the positive and negative magnetic fields is not harmful. However, objective observations by several physicians has demonstrated the following:

A. A brief exposure to a positive magnetic field is not harmful and can be used to stimulate the thymus gland function, adrenal-cortical hormone increase, stimulate a return of neuronal function that have been inhibited by pressure, etc.

B. Prolonged exposure to a positive magnetic field can produce a toxic vasculitis, neuritis, and addiction due to evoked

C. A negative magnetic field is never harmful and helps healing, repairs, increases melatonin and growth hormone production and produces biological homeostasis.

33. MAGNETIC FREE ENERGY.

A static magnetic field is the energy essence of magnetic therapy.

Oxidoreductase enzyme + alkaline-hyperoxia
Food substrate.....>ATP
plus
plus electron free energy from static electric catalytic remnant
field with movement of electrons between magnetism substrate
and enzyme producing a negative (Negative magnetic field)
magnetic field (magnetic free energy)

Negative magnetic field therapy provides magnetic free energy from a static negative magnetic field for alkaline-hyperoxia catalytic reactions.

34. Each side of a static field magnet with magnetic fields on opposite sides of a flat surface magnet produces only a single uniform, magnetic field.

From each single side of a flat surface static field magnet, there is a magnetic field of the same magnetic polarity field turning back to enter the opposite magnetic field. This entry into the opposite magnetic field occurs at the edge of the magnet at the equator which is a half-way point between the opposite magnetic fields. Thus, a subject being exposed to the uniform negative magnetic field of a flat surface magnet receives the negative magnetic field only and does not receive a positive magnetic field coming around the edge of the magnet. The entry of the positive magnetic field is at the equator half-way point between the opposite magnetic fields. This is on the edge of the magnet and not on the opposite flat surface side of the magnet.

Albert Roy Davis, Physicist, for several years used flat surface magnets with poles on opposite sides to determine the separateness of the opposite biological response to the positive and negative magnetic fields. This separate biological response to opposite magnetic fields could not have occurred if there was an opposite magnetic field coming around the edge of the magnet.

Robert O. Becker, M.D. understood that a flat surface magnet with opposite magnetic fields on opposite sides provided only a separate single magnetic field form each side of the flat surface magnet.

Skin tests prove that only a single magnetic field response occurs in response to the single magnetic field on each side of a flat surface magnet. A gauss meter reading documents evidence that only a single magnetic field occurs from a flat surface magnet with poles on opposite sides and that there is not an opposite magnetic field coming around the edge of the magnet. The usefulness of a magnetometer is limited to the reading over the uniform magnetic field over the flat surface of a flat surface magnet with magnetic field poles on opposite sides. The reason for this is that the magnetometer has its own magnetic field which will give an opposite reading when crossing over the edge of the magnet, due to the fact that the bar magnet in the magnetometer reaches beyond the equator at the edge of the magnet.

The erroneous concept model that an opposite magnetic field comes around the edge of a flat surface magnet comes from an incorrect use of a magnetometer, contrary to the manufacturers stated value and limitations of a magnetometer which is "limited to a uniform field".

There is no reason to place mini-block magnets under a 4"

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior mattress pad in order for the surface to receive only a negative magnetic field. When placing mini-block magnets in a bed pad on top of a mattress it is necessary to sufficiently pad between and over the mini-block magnets so the weight of the subject cannot press down between the magnets so as to not reach the equator half-way point between the separate magnetic fields on opposite sides of the mini-block magnets.

The Physiology of Biomagnetics

Humans and all living organisms are electromagnetic. Human life exists as an electromagnetic organism. The central nervous system and the peripheral nervous system function as a direct current circuit with a positive (north-seeking) magnetic field at the positive electric pole and a negative (south-seeking) magnetic field at the negative electric pole. Each cell has its positive (north-seeking) and negative (south-seeking) magnetic fields. The DNA genetic code material of each cell has both positive (north-seeking) and negative (south-seeking) magnetic fields. Magnetic fields govern cell functions and is a necessary functional part of all physiological functions of the human body. Biomagnetics needs to be understood in order to understand the normal mental and physiological energy functions of the human body. Biomagnetics needs to be understood in order to understand how handicapping symptoms develop and also how to reverse these handicapping symptoms. Magnetic energy dynamics is the very foundation of normal and abnormal mental and physical human functions. Magnetic therapy employs the basic fundamental energy dynamics of being alive and responding to stimuli whether these are internal brain thoughts or feelings or an external play on sight, sound or tactile senses. Magnetic field energy, due to being the very energy foundation of response, can alter the biological responses to stimuli.

There are distinctly separate fundamental ways in which magnetic fields exert control over responses to stimuli.

Biological Responses to Separate Magnetic Fields:

<i>Positive Magnetic Field</i>	<i>Negative Magnetic Field</i>
Stress response	Anti-stress response
Neurone exciting	Neurone calming
pH acidifying	pH alkalinizing

Human physiology has a homeostatic function between the positive (north-seeking) magnetic field biological governed biological responses and a negative (south-seeking) magnetic field governed biological responses. The necessary biological homeostasis between a positive (north-seeking) and negative (south-seeking) magnetic field is not an equal amount of both of these fields. The negative (south-seeking) magnetic field has a higher gauss strength than the positive (north-seeking) magnetic field in the human body. The presence of a higher negative (south-seeking) magnetic field than a positive (north-seeking) magnetic field provides the human with the ability to exert a control over any possible excessive positive (north-seeking) magnetic field stimulus response. The neuron bodies of the central nervous system are a positive (north-seeking) magnetic field while the neuron axon extensions into the body are a negative (south-seeking) magnetic field.

Robert O. Becker demonstrated that an injury registers as an electromagnetic positive while the healing state of the injury registers electromagnetic negative. Healing-repair can only occur in the presence of a negative (south-seeking) magnetic field. A positive (north-seeking) magnetic field is the signal of injury sent to the brain following which the brain returns a negative (south-seeking) magnetic field necessary for healing-repair. Magnetic therapy provides an external source of a negative (south-seeking) magnetic field for healing-repair.

The human body can only maintain optimum life function in an alkaline medium. Human life is alkaline-hyperoxia-dependent.

The physicist, Albert Roy Davis discovered that a negative (south-seeking) magnetic field biological response is alkaline-hyperoxia while the positive (north-seeking) magnetic field biological response is acid-hypoxia. My observations confirm Davis' observation of an alkaline-hyperoxia response to a negative (south-seeking) magnetic field. The alkaline-hyperoxia biological response to a negative (south-seeking) magnetic field is why a negative (south-seeking) magnetic field relieves symptoms.

There is a parallel between acid-base balance and magnetic field levels. A biological acid state is always a positive (north-seeking) magnetic field. A biological alkaline state is always a negative (south-seeking) magnetic field. My research examined pH before and after test meals of foods and exposure to common environmental chemicals and also, immunologic reactions. When symptoms occurred during these tests of exposures an acidity always developed. These symptoms can be relieved by the negative (south-seeking) magnetic field of a static field magnet because the biological response to the negative (south-seeking) magnetic field is alkaline-hyperoxia.

pH Biological Response to Separate Magnetic Fields

<i>Positive Magnetic Field</i>	<i>Negative Magnetic Field</i>
--------------------------------	--------------------------------

Acid-hypoxia	Alkaline-hyperoxia
Magnetic Response to Stress Injury	
<i>Positive Magnetic Field</i>	<i>Negative Magnetic Field</i>

<p>A positive magnetic field is a signal of injury sent to the brain.</p>	<p>The brain receives the signal of injury as a positive magnetic field and returns the signal of a negative magnetic field. Healing-repair requires alkaline-hyperoxia for oxidative phosphorylation production of ATP. A negative magnetic field biological response to a negative magnetic field is alkaline-hyperoxia.</p>
---	--

No healing-repair can occur due to the positive magnetic production of acid-hypoxia.

The production of ATP by oxidative phosphorylation is blocked by the acid-hypoxia of a positive magnetic field.

Chronic stress, from whatever source, produces acidity. Since acidity ties up molecular oxygen, producing acids, the result is acid-hypoxia. Chronic stress resulting from physical injury or psychological stress have the same biological consequences of the production of acid-hypoxia. An injured muscle or over-stressed muscle becomes acidic and thus also hypoxic. This acid-hypoxic state is inflammatory and painful whether the tissue is a muscle, fascia, tendon or other tissues such as an internal organ.

The problem of inflammation and pain production by acidity becomes compounded since the human life energy (ATP) cannot be made in an acid-hypoxic medium since oxidative phosphorylation is alkaline-hyperoxia-dependent. However, human cells have the ability to make ATP by fermentation using transferase enzyme catalysis. The production of ATP by fermentation occurs when acid-hypoxia is present. This is an emergency energy measure and cannot sustain human life for very long. Lactic acid is a by-product of fermentation, which adds further acid-induced inflammation. Cancer cell initiation and growth can only develop in an acid-hypoxic medium since cancer cells use fermentation for the production of ATP. Infectious micro-

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior organisms are acid-hypoxic, fermentation-dependent for their production of ATP. A negative (south-seeking) magnetic field with its production of alkaline-hyperoxia canceling out acid-hypoxia is antibiotic, anti-parasitic and anti-cancerous.

Biological Source of Magnetism

Magnetic field energy is essential to biological life energy. Biological life cannot exist without magnetic field energy. The DNA genetic code contains magnetic fields and passes this magnetic field on to the next generation. Magnetic fields are always both positive (north-seeking) and negative (south-seeking) magnetic fields. However, these positive (north-seeking) and negative (south-seeking) magnetic fields do not have to be of equal proportions. In fact, the human magnetism is higher in the negative (south-seeking) magnetic field than the positive (north-seeking) magnetic field. This is how the human organism maintains alkaline-hyperoxia. Microorganisms', parasites' and cancer cells' magnetic physiology is opposite to the human magnetic physiology in which the positive (north-seeking) magnetic field is higher than the negative (south-seeking) magnetic field.

There are hundreds of enzyme catalytic reactions occurring in the human. A catalytic reaction requires movement of electrons between the substrate and the enzyme. When electrons move, they produce a magnetic field. Thus, alkaline-dependent enzymes are also negative (south-seeking) magnetic field dependent and acid-dependent enzymes are also positive (north-seeking) magnetic field dependent.

Examples of Biological Produced Magnetism

Four Oxidoreductase enzymes

Food Substrate _____>Adenosine triphosphate
+alkaline-hyperoxia (ATP+ oxidative remnant magnetism; a negative magnetic field)

Food Substrate _____>ATP + a positive
transferase magnetic field
enzyme + acid-hypoxia

Secrets of Negative Magnetic Field Therapy

A negative (south-seeking) magnetic field is anti-stressful and thus, neuronal calming. A negative (south-seeking) magnetic field on the brain and spine calms neurones (anti-stress) and aids voluntary relaxation and sleep. It is also true that a negative (south-seeking) magnetic field can be made strong enough to produce involuntary magnetic general anesthesia. Robert O. Becker anesthetized his salamanders with a negative (south-seeking) magnetic field. I have demonstrated the control of seizures by a negative (south-seeking) magnetic field. I have demonstrated the control of movement disorders with a negative (south-seeking) magnetic field. I have observed the control of major mental disorders such as hallucinations, delusions and depression with a negative (south-seeking) magnetic field. The exceptional value of a negative (south-seeking) magnetic field control over neuronal excitation is that it works whether the neuronal excitation is due to an injured brain from trauma, viral infection, maladaptive food reaction, maladaptive environmental chemical reaction, immunologic reaction or repressed unconscious hostility, anger, anxiety and its associated somatic expression. The secret of a negative (south-seeking) magnetic field therapy is that a negative (south-seeking) magnetic field is neuronal calming, cellular metabolic normalizing, enzymatic processing of all types of inflammatory responses

no matter why they are present.

Symptom-producing responses occur due to repeated neuronal excitation paired with a stimulus evoked response. Sensitization is due to neuronal excitation paired with a stimulus. Desensitization results when neurones are held in a calm, anti-stress state while meeting the stimulus that had trained in a maladaptive sensitization response. It is repetition while exposed to a stimulus-producing response that trains in sensitivity and it is repetition while holding the neurones in an anti-stress inhibited state that trains out sensitization. Thus, a negative (south-seeking) magnetic field brain treatment has an immediate cancellation of the maladaptive response and by repetition trains out the maladaptive response. Local inflammation is reversed enzymatically by oxidoreductase enzymes processing of free radicals, peroxides, oxyacids, alcohols and aldehydes.

Oxidoreductase enzyme,

Superoxide dismutase

enzyme in an

alkaline medium

Superoxide Free Radical _____>Hydrogen Peroxide
(H₂O₂)

Catalase enzyme in an alkaline medium

H₂O₂ _____>water + molecular oxygen

Superoxide

free

radical,

peroxides,

oxyacids,

alcohols

and aldehydes _____>

water and oxygen molecules

Alkaline-medium electrostatic field or negative magnetic field

The Role of Magnetics In Enzyme Function

All biological enzyme functions (catalysis) in a living biological system are magnetic energized. There is a measurable catalytic remnant magnetism to enzyme function in live biological systems. Four oxidoreductase enzymes are needed to produce adenosine triphosphate (ATP) from foods. During these enzyme processes, there are two energies being made. One is ATP and the other is oxidation remnant magnetism. Both of these energies are used for the energy activation of enzymes. There are thousands of the enzymes, each with its own selective function. These are named according to their functions. Oxidoreductase enzymes are a family of enzymes with specific necessary functions. These enzymes have the following functional values. They produce ATP and catalytic remnant magnetism and they process the end-products of the metabolic process which are initially the free radical called superoxide which is oxygen with an added electron. If not rapidly enzymatically processed, it will produce peroxides, acids, alcohols and aldehydes all of which are enzymatically toxic, that is inflammatory-producing.

In order for us to understand biological life energy, we must understand the starting point of that energy. Thus, we must understand the functions of oxidoreductase enzymes. We have enzymes and the substrates which they are processing. In the case of producing ATP, the substrate is a food. In the case of processing the toxins or inflammatory producing substances, the substrate are the free radicals and the products they produce. There exists a natural ten-

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior dency for the enzyme and the substrate to join. These areas that have a biological attraction to join are called dipoles. However, this attraction all by itself does not produce enzyme action. These are simply the areas where the enzymes and the substrates do line up and join. Otherwise, there has to be an energy. This characteristicly comes from static electrons that are in the body. They help move the enzyme and the substrate together. Once they move, now a magnetic field is created because this is what a magnetic field is all about. It is produced by the movement of electrons. Also, a magnetic field from an external source that is a static magnet field will also produce the movement of electrons. This is why an external source of a static magnetic field will cause the enzyme and the substrate to join because it is moving electrons.

The essence of static magnetic field therapy is the energy activation of enzymes to join substrates for catalysis. In the case of oxidoreductase enzymes, they are alkaline-hyperoxia dependent and do not require ATP for energy activation but do require a static negative magnetic field energy for catalytic activation.

ATP is an energy activator of many enzymes. In alkaline-hyperoxia, ATP dependent enzyme catalysis, a negative magnetic field is a co-factor with ATP as an enzyme energy activator. This is all human enzymes other than those of the mouth and stomach.

In acid-hypoxia dependent enzymes as well as transferases, ATP and a positive magnetic field are energy co-factors. Invading microorganisms and cancer cells are acid-hypoxic dependent for making their ATP.

Thus, a static negative magnetic field strengthens the human cell alkaline-hyperoxic dependent energy state and defeats the acid-hypoxic dependent state of cancer cells and invading microorganisms (bacteria, viruses, fungi and parasites).

Magnetic Dynamics of The Degenerative Process

The central disorders of acute maladaptive reactions are: 1) acidity, and 2) oxygen deficit. Monitoring the biochemical disorders of chronic degenerative diseases reveals the same disorders as acute maladaptive reactions which is acid-hypoxia. Chronic degenerative diseases are observed to be acute maladaptive reactions extended in time to a chronic state with the resultant cellular damage. The contrast between the well cells of the healthy, functioning person and the sick cells of degenerative diseases provides valuable clues as to how magnetics can substantially aid in recovery of inflammatory degenerative diseases, infections from microorganisms and cancer.

In the process of oxidative phosphorylation producing adenosine triphosphate (ATP), molecular oxygen accepts an electron and becomes free radical oxygen (superoxide). If not immediately enzymatically reversed, superoxide proceeds to produce other free radicals, peroxides, oxyacids and aldehydes. These are all inflammatory. The oxidoreductase family of enzymes have the assignment of making ATP by oxidative phosphorylation and at the same time, processing the end-products of this oxidation phosphorylation process. This oxidoreductase family of enzymes are alkaline-hyperoxic-negative magnetic field activation dependent. When these 3 physiologically normal factors are not present, then cellular ATP is made by fermentation. The 3 factors necessary for fermentation to produce ATP are: 1) acidity, 2) lack of oxygen, 3) a positive static magnetic field as an enzyme energy activator. Human cells have the capacity to make ATP by either oxidative phosphorylation or fermentation. Cellular fermentation producing ATP only functions in the abnormal state of acidity and hypoxia. The enzymes catalyzing fermentation production of ATP are transferases which are acidhypoxic-positive-static magnetic field activation dependent. Sugar is catalyzed by transferase producing ATP, alcohols, acids

and carbon dioxide. Hydrolase enzymes catalyzes starches to sugars. Hydrolase also is acid-hypoxic-positive static magnetic field energy activation dependent.

A static magnetic field is the energy activator of all biological catalytic processes. When oxidative phosphorylation catalyzes the production of ATP this catalytic reaction makes negative static field magnetism termed oxidation remnant magnetism. This negative static magnetic field is available to energize oxidoreductase enzyme catalysis and at the same time, block transferase and hydrolase catalysis. Besides the biological available negative static magnetic field from oxidation remnant magnetism, there is an always present electrostatic field (1). In an alkaline medium the electrostatic field produces a negative static magnetic field which energizes oxidoreductase catalysis. In an acid medium, an electrostatic field produces a positive static magnetic field which in turn energizes transferases and hydrolases. Both oxidation phosphorylation and fermentation catalysis are static magnetic field energized. However, they are energized by opposite magnetic poles. Oxidation phosphorylation is energized by a negative static magnetic field in an alkaline-hyperoxic medium. Fermentation is energized by a positive static magnetic field in an acid-hypoxic medium. A static magnetic field is required for the enzyme and the substrate to attach. A static magnetic field present during enzyme catalysis has been documented (2). ATP made by fermentation with its acid-hypoxic medium cannot maintain human biological life energy. ATP made by fermentation can maintain the life energy of microorganisms such as bacteria, fungi, viruses, parasites and cancer cells. The secret to reverse acute maladaptive symptom reactions, prevent and reverse microorganism infections, maintaining human biological health and providing for the reversal of degenerative diseases is to maintain a normal alkaline body pH, hyperoxia and an adequate negative static magnetic field. The biological response to a negative static magnetic field can maintain these necessary components of healthy human cells. Thus it can be understood that exposure to an external source of a negative static magnetic field supports human health and materially aids in reversal of inflammatory degenerative diseases, cancer and the defense against microorganism invasion. This external negative static magnetic field can be applied to local affected areas as well as applied systemically by such as a negative static magnetic field bed.

1) *Encyclopedia Britannica*. Vol 15, page 1060. 1986 edition

2) Fersht, Alan. *Enzyme Structure and Mechanism*
**The Significance of Alkalinity and Acidity
in Biological Health and Disease**

The human body functions in an alkaline dependent state. Hyperoxia, which is necessary for the production of adenosine triphosphate (ATP), can only be present in an alkaline medium. An acid medium ties up oxygen, which is no longer free for the oxidation-reduction process of producing ATP. A healthy human maintains a blood pH minimum of 7.4. Below 7.4, the numerous necessary enzymes for life function in a human lose their function because they are alkaline-dependent. Alkaline minerals such as sodium, magnesium, potassium, and calcium as bicarbonates are a necessary part of the pH buffer system maintaining alkalinity. Therefore, it is necessary that these nutrients be in adequate supply. Insulin also helps maintain the alkalinity, the production of which rises and falls depending on the need to maintain the alkalinity. This is one of insulin's functions. Endorphins, insulin and nutrients producing bicarbonates are all alkaloids and therefore have a normal physiological level. This normal physiological alkalinity is anti-inflammatory, buffers against infections and cancers that are acid-

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior dependent.

Degenerative diseases such as diabetes mellitus, rheumatoid arthritis, local and systemic infections are all acid states in which local areas of the body are acidic and also there are measurable episodes of systemic acidity in these degenerative diseases.

It is highly significant to understand that sensitivity, symptom-producing reactions to foods and or chemicals are acid-producing. I have measured thousands of these symptoms occurring during deliberate exposure to foods and chemicals and when symptoms occur there is a measurable acidity occurring in the blood. The local area where the symptom occurred is even more acidic than the blood. Degenerative diseases have been demonstrated to simply be an extension in time of these acute symptom-producing reactions to foods, chemicals and inhalants. It matters not whether these are immunologic with demonstrated antibodies or complement disorders or whether they are non-immunologic. Acidity occurring at the time of either acute symptom production or chronic disease symptoms is the central common denominator. It is true that immunologic reactions are also acidifying but it is also true that there are many times more non-immunologic type reactions that are acidifying and thus, symptom-producing.

Addiction, whether it is to narcotics or other drugs, or to foods has an acidic phase during the withdrawal of that substance. In addictions, the withdrawal begins to occur at 3-4 hours, post-exposure. Addiction to foods turns out to be the most common cause of symptom producing maladaptive sensitivity reactions to foods. The frequently eaten food becomes a stressor, which is beyond the body's biological capacity to optimally process. When first exposed to the food to which the subject is addicted, there is relief of symptoms because the stress evokes a rise in endorphins and serotonin. Some four hours later, when both endorphins and serotonin drop below the normal functional physiological levels, acidity emerges and symptoms occur. This is why it is so important that all addictions be stopped at the same time. Thus, this includes alcohol, tobacco, caffeine, and all foods to which the person is addicted.

The Role of Oxidoreductase Enzymes in Addiction Including Food Addictions

Members of the Oxidoreductase enzyme family classified by their function are as follows:

1. Dehydrogenases
2. Hydroxylases
3. Oxidases
4. Oxygenases
5. Peroxidases
6. Reductases

Oxidoreductase enzymes are responsible for the production of adenosine triphosphate and oxidation remnant magnetism (negative magnetic field). This is an alkaline-hyperoxia negative (south-seeking) magnetic field dependent enzyme catalytic reaction. When the frequency of a substance exceeds the available functional capacity of oxidoreductase enzymes, then this becomes a stress. The body's response to stress is to raise endorphins and serotonin. This stress over-produces endorphins and serotonin beyond their normal physiological level, thus providing not just a comfortable feeling, but also a super comfortable, even euphoric feeling. Some 3-4 hours later, the production of endorphins and serotonin drop below physiological level, which is now an acidic, inflammatory, psychologically depressive and anxiety-producing state. When oxidoreductase enzymes can be maintained at a normal physiological level,

this addictive state does not occur. We know this is true because when we expose the brain and the symptomatic areas to a negative (south-seeking) magnetic field, it will activate the oxidoreductase enzymes and thus relieve the symptoms. This fact also becomes the center focus for handling the symptoms of addiction in general and food addiction in particular. By the use of a negative (south-seeking) magnetic field applied to symptomatic areas and the brain, the withdrawal from addictive substances including foods can be made comfortable. Maintaining comfort while withdrawing from food addiction is an important part of magnetic therapy of reversing food addiction.

THE ROLE OF ADDICTION IN OBSESSIVE-COMPULSIVENESS

Obsessive-compulsiveness can be a learned response from environmental experiences. However, much of obsessive-compulsiveness is learned from addiction. When contacting the addictive substance, food or otherwise, the subject is super comfortable without body pains and with a mental euphoria. When the addictive withdrawal phase sets in and the discomforts leave and pains, depression, anxiety and tension emerge, there develops first an obsessional wish to obtain relief by contact with the addictive substance again and a compulsion to act on that obsession. Addiction classically trains in obsessive-compulsiveness, which then pervades the entire behavior of the subject. The addict simply, obsessively, can't wait for relief. They can't accept any imperfection, including waiting for relief. Physical pain can be relieved by placing a negative (south-seeking) magnetic field over the area of pain. Brain symptoms can be relieved by placing the negative (south-seeking) magnetic field over the bitemporal areas of the brain. Bitemporal area placement of the discs relieves depression and tension. Placing a magnetic disc midforehead and left temporal relieves anxiety. Placing a magnetic disc over the left temporal and low occipital area is the most effective for relieving obsessive-compulsiveness.

It is understandable that overeating of calories becomes an obsessional compulsive component of food addiction. The system of magnetic weight reduction is to, first of all, stop all addictions. Secondly, handle all the withdrawal symptoms of stopping all addictions. The third is to decide the number of calories that needs to be consumed to maintain an appropriate weight. Eat this number of calories and stop any compulsion to overeat by placing the magnets appropriately on the head as well as a 4" x 6" x 1/2" magnet on the mid-sternum and over the epigastric area. Also, treat any areas of discomfort at the same time. By this method, the person learns with comfort to eat only the amount of calories that will maintain adequate weight. If there is an urge to eat between meals, then place the magnets on the head, the chest and on the epigastric area. Within 5-10 minutes, this urge will have disappeared. Thus, there is a method of self-help maintenance of comfort and magnetic cancellation of obsessive-compulsiveness.

Grandfather Status of Magnet Therapy

Among early medical practitioners, there are references to the medical uses and self-help uses of static field magnets. This description of static magnetic fields for medical use and self-help application holds a record for being among the longest, if not the longest, held application of medical therapeutics. The application of magnetic therapeutics is world-wide. This worldwide grandfather status of application of static magnetic fields for therapeutic reasons is important in view of the more recent establishment of research practices to prove the value and safety of procedures and products. Among the earliest effort at establishing through scientific means, the value of magnetics

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior is that of the research establishing both the value and safety of the application of magnetic energy for magnetic resonance imagery.

Up to the 1970's, medical practices and sciences had been accepted because of their universal acceptance and application. There now are specific research techniques accepted by the Food and Drug Administration as valuable in establishing a scientific proof of both value and safety. Most medical practices have come to be accepted without this research proof. To this day, a substantial amount of medical practice is grandfathered and proceeds to be used without scientific proof. There is no official list of practices that have been grandfathered. They simply continued to exist without being challenged as to value and safety. Magnet therapy has existed since the early status of the practice of medicine and this has been worldwide. Although, not officially stated as grandfathered, its practice demonstrates that it is grandfathered in the United States and worldwide. In recent years, there has been an increase in the application of magnetics. Years ago, Sears Roebuck used to sell magnets for the relief of pain. In recent years there has been an increase of use of magnets for pain, sleep and other procedures. Magnetic therapy is also, at the same time, undergoing a scientific investigation as to values and limitations. National Institutes of Health is granting funds for this research. There are also privately funded researches in progress.

For many years, biochemistry has been fulfilling its promises of value and of financial rewards for marketing products. Biophysics has been largely ignored in terms of research for years. The times are changing and biophysics is now offering substantial rewards for harnessing magnetic applications.

An Invitation To Do Research In Therapeutic Magnetics

Dear Doctor:

This is an invitation for you to do research in the area of medical magnetics. The research physician works under the consultation and supervision of William H. Philpott, M.D., who is a member of an FDA qualified institutional review board. The research-monitoring physician gives a statement as to the status of the patient and Dr. Philpott provides a magnetic research protocol to be followed in applying the magnets. The research physician agrees to send reports to Dr. Philpott, which then will be assessed by the magnetic research committee. When sufficient data is available on any one subject, then this is submitted for publication in a peer reviewed medical journal. The purpose of this research is to establish magnetics as a solid therapeutic modality in the practice of traditional medicine. This is a request to you to join us in this valuable research. It does not cost you anything to be a party to this research. The patient pays the physician for any service rendered. The patient also buys the magnets used in the research.

The application of magnets to humans and animals for both diagnosis and therapy is FDA approved. There are several approved magnetic instruments that can make claims of value in the specific limited areas that their research has established.

Our research is on the growing edge of therapeutic magnetics, expanding the value of magnetics to human and animal therapeutics. There are many promising values emerging that need definitive research. Would you please help us?

Sincerely,

William H. Philpott, M.D.

Magnetic Therapy

Medical Supervised Research

VS.

Self-Help Treatment

Medical Supervised Research

The objective Observations of the value of magnetic therapy for numerous medical conditions demonstrates what is usually considered to be "too good to be true." Indeed, magnetic therapy de-

serves definitive, controlled research following all the guidelines of the FDA. This research is in process under the supervision of William H Philpott, M.D. and other independent research organizations as well as NIH grant-sponsored researches. This research under William H. Philpott, M.D. requires a local physician to be following the patient. A physician and patient provide Dr. Philpott with a definitive diagnosis and the physician and patient both agree to be reporting at least 3 times a year to Dr. Philpott. Dr. Philpott provides a magnetic research protocol giving the details of the magnets used. This is a home treatment. To defer the cost of this, a gift of \$200 is needed. This is a tax-deductible gift to medical research. This is beyond the cost of the individual magnets that are specified for the condition under consideration. This information is part of a statistical study in preparation for publication in peer reviewed medical journals.

Self-Help Magnetic Therapy

William H. Philpott, M.D. has since 1995 prepared The Magnetic Health Quarterly that range widely on specific subjects. These quarterlies describe magnetic treatment that can be adapted to self-help. Also, there is a series of magnetic protocols describing in general terms treatment of specific conditions but not for a specific person. It is ethical to obtain this information that lends itself to self-help use. There is no restriction in the purchase of magnets. When a person does self-help is his responsibility. The application of magnets has been classified by the FDA as not being harmful. There is misuse of the magnets that can be made, such as using the positive magnetic pole for an extended period of time. Although this does not injure cells, it is acidifying and would not be healthy for long-term use. The cost of self-help is the purchase of a Magnetic Health Quarterly on the appropriate subject. Each Magnetic Health Quarterly costs \$12, and each magnetic protocol for self-help costs \$10. Otherwise, the cost of self-help is the cost of the magnets. In doing self-help, the person obtains the general information and decides without any coaching from anyone, what magnets they want to use and how they want to apply them based on the general information they have received. Many people are admirably helping themselves. It is always wise that major illnesses be under the supervision of the medical research program.

William H. Philpott, M.D.

17171 S.E. 29th

Choctaw, Ok 73020

405/ 390-1444 Fax 405/ 390-2968

THE MAGNETIC RESONANCE THERAPEUTIC RESEARCH PROJECT:

PHYSICIAN'S PARTICIPATION AGREEMENT

I agree to consult with W.H. Philpott, M.D., in setting up a research project in magnetic resonance therapeutic research. An agreed upon format of monitoring during treatment and after treatment will be followed. The agreed upon format will be provided in printed form so that the research format can be followed by multiple cases and multiple physicians.

I agree to provide a report three times a year. When sufficient data has been accumulated, and the Institutional Review Board agrees, then an author for publication in a peer review journal will be sought.

Address:

Date:

William H. Philpott, M.D.

17171 S.E. 29th

Choctaw, Ok 73020

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior
405/ 390-1444 Fax 405/ 390-2968

**THE MAGNETIC RESONANCE THERAPEUTIC
RESEARCH PROJECT:**

PATIENT'S AGREEMENT FOR RESEARCH

I understand this is a research project to determine the value of static magnetic field application to my type of condition. I understand that extensive toxicity studies preceding the Food and Drug Administration (FDA) approval of the marketing of magnetic resonance imagery resulted in the FDA's classifying magnetic exposure to humans as "not essentially harmful." I have not been promised symptom relief. I have not been promised a cure.

I agree to keep an accurate record of my extent of exposure to a magnetic field. I agree to the necessary monitoring of my condition before, during and after treatment as agreed to by my physician in consultation with W. H. Philpott, M.D.

I understand that private and government (Medicare and Medicaid) insurances do not apply for medical research. I understand my physician will not apply for insurance payments for the medical research that is being rendered me. I agree not to apply for insurance payments since they do not apply to medical research. I understand that laws relating to medical treatment for Medicare and Medicaid payments do not apply to medical research. I understand that the physician doing medical research monitoring for my case can charge for the service rendered for which no report to government insurance Medicare or Medicaid) is made and that the research service is beyond, apart from, and not related to any laws relating to medical services rendered to a Medicare or Medicaid patient.

Address:
Date:

SELF-HELP TREATMENT RESPONSIBILITY

You have a right to purchase magnets and do with them as you wish. You have a right to purchase information that is general in nature. The application of self-help does not constitute a medical order.

William H. Philpott, M. D. would appreciate periodic reports of your success. He can use this information in gathering research for publication.

I understand that I am taking responsibility for magnetic treatment if I engage in self-help, non-medical supervised therapy.

I understand that any of the general information that Dr. Philpott has prepared is not a medical order. I understand that any conversation that I have had or will have with Dr. Philpott is general in nature and is not to be construed as a medical order.

Name _____ Date _____

Mailing address _____

City, State, Zip

**INDEPENDENT, SELF-SUPPORTING
RESEARCH DETERMINATION OF THE
VALUES OF MAGNET THERAPY**

There is a steady advancing application of magnetics for health maintenance as well as valuable therapeutic reversal of degenerative diseases. There is a great need to document the many values of the application of magnets for their therapeutic value. The FDA has classified magnetic application to humans as "not essentially harmful." William H. Philpott, M.D. is a chairman of an independent ethical Research Institutional Review Board which follows FDA guidelines for research in magnetics.

Therapeutic research format available:

1. A local physician provides William H. Philpott, M.D. with an initial statement of the research subject's condition prior to magnet therapy. After receiving this initial statement, Dr. Philpott prepares a magnet research protocol to be followed.

The local research monitoring physician makes the initial report and additional reports to Dr. Philpott at four month intervals.

For this consultation service of the research protocol, the initial and periodic communication with the monitoring physician and research subject there is a requested medical research gift of \$200.00. You will receive a receipt for a tax deductible medical research gift. Make your medical research gift payable to HOLOS INSTITUTES OF HEALTH, INC. Send the check or credit card number to William H. Philpott, M.D.

This \$200.00 medical research gift plus the research subject purchasing the magnets used in research makes it economically possible to proceed with self-supporting magnet research.

For research treatment guided by Dr. W. H. Philpott with you monitored by a local physician. Call, write or fax:

William H. Philpott, M.D.
17171 S.E. 29th Street
Choctaw, OK 73020
405/ 390-1444 or fax 405/390-2968

WILLIAM H. PHILPOTT, M. D.

17171 S.E. 29TH Street Choctaw, Ok 73020
405/390-3009 Fax: 405/390-2968

William H. Philpott, M.D., Chairman
Institutional Review Board
W. H. Philpott Magnetic Research

Research gift to HOLOS INSTITUTES OF HEALTH made
by:

Name _____

Address _____

Phone _____

Date _____

Received by W.H. Philpott, M.D.

W.H. Philpott, M.D.

Date _____

HOLOS INSTITUTES OF HEALTH is an IRS-Registered, Tax
Deductible 501C-3 Organization

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior

Metabolic Syndrome Risk Factors
from the *Magnetic Health Quarterly*
“Metabolic Syndrome Risk Factors” Vol. IX, 1st Qtr, 2003
(2002 Revision)

by **William H. Philpott, M.D.**
17171 S.E. 29TH Street
Choctaw, OK 73020
405/390-3009 Fax: 405/390-2968
polarp@flash.net

General Information, Not a Medical Order
No Claim of cure is promised.
For Medical Supervision under a research program project,
contact William H. Philpott, M.D.
MEDICAL SUPERVISION IS RECOMMENDED

MAGNETIC PROTOCOL
Mild Degree Disordered Carbohydrate Metabolism
Mild Degree Hypertension
Mild Degree of Disordered Lipid Metabolism
Obesity With Especially Increased Girth Size

Metabolic Risk Factors for Metabolic Degenerative Diseases

THE METABOLIC SYNDROME RISK FACTORS

The metabolic syndrome has stated the risk factors for developing two major clinically significant degenerative diseases. These are diabetes mellitus type II and cardiovascular disease. Besides these two degenerative diseases, these risk factors also relate to all causes of mortality. Reversal of these degenerative disease risk factors is a major challenge for health professionals and for everyone seeking a healthy lifestyle system.

These degenerative disease risk factors are:

1. Overweight and especially with abdominal fat distribution.
2. A mild degree of disordered glucose - insulin metabolism.
3. A mild degree of dyslipidemia.
4. A mild degree of hypertension.

PURPOSEFUL, NARROW FOCUS AND LIMITATIONS OF THIS TREATISE

This treatise is purposely limited in focus for emphasis of highly important factors often neglected as causes of and appropriate effective treatment for metabolic syndrome risk factors. The neglected causes and the neglected treatment of risk factors are;

1. The role of maladaptive (allergic and or addictive) food reactions.
2. Non-food, environmental antigens and toxins.
3. Toxins, both endogenous and exogenous.
4. The role of obesity as a risk factor for degenerative diseases.
5. The role of infections.
6. The role of a negative magnetic field in reversal of these degenerative disease risk factors.

The significant roles of nutrition and exercise are equally important and are amply stated in scientific medical literature such as books on internal medicine.

For additional alternative medicine information, consider the information in the books;

Alternative Medicine. The Definitive Guide. Celestial Arts, Berkeley, CA and Toronto, Ontario Canada. 2002.

Disease Prevention and Treatment, Third Edition. Life Extension Media. PO Box 22912 Hollywood, Florida 33022-9120.

There are a number of other alternative medicine treatise of equal value.

OBESITY AND ABDOMINAL FAT

An average-sized woman should weigh approximately 130 pounds or less. An average-sized man should weigh 160 pounds or less. Tall men 6' and taller can weigh up to 180 pounds. For more exact details on average weight, see pages 827 in *Alternative Medicine. The Definitive Guide*.

Obesity is caused by eating more calories than is being metabolically used which results in body fat deposits. Exercise is a major use of calories, thus reduced calories and increased exercise is a logical therapy for weight reduction. The question is how to remain comfortable and satisfied while reducing calories.

Obesity is a significant risk factor for the development of degenerative diseases, especially diabetes mellitus type II, cardiovascular disease, cerebral-vascular disease, hypertension and cancer. Thus, the disease prevention goal is normalization of weight while maintaining adequate nutrition. Supplementation of nutrients can help maintain nutrition while reducing calories. The problem is how to reduce calories and still be comfortable and satisfied.

The subject who, when missing a meal, develops symptoms of any physical, mental or emotional type is a food addict. The symptoms are a manifestation of addictive withdrawal. Food addiction is a very real addiction. Alcohol addiction is to the food from which the alcohol is made. Deliberate food testing of the alcohol addict after a five day fast reveals dry-drunk symptoms when given a meal of a single food from which this alcohol is made. There need be no alcohol present for the development of food addiction. Non-alcoholic food addiction is just as damaging as alcohol-food addiction. All addiction leads to degenerative diseases, especially diabetes mellitus type II, cardiovascular and cerebral vascular diseases. These diseases are purely and simply the consequences of food addiction and allergies and do not exist separately from food/alcohol addiction and IgG food allergies.

THE ROLE OF FOOD ALLERGIES

IgE allergy produces an acute and often life-threatening symptom. This seldom occurs. IgG food allergy behaves the same as an addiction. Upon contact with the food, the symptoms are relieved and only three or four hours later, withdrawal symptoms emerge. This is a delayed allergy symptom reaction and is either also an addiction withdrawal or behaves as an addiction withdrawal. Food addiction, separate from an allergy, does not have antibodies to the food.

WHAT IS ADDICTION?

Addiction develops to the chronic stress of a frequently used food. On initial contact with the food or drug there is a rise in self-made narcotics (endorphins) or else the drug itself is a narcotic. There is also a rise in serotonin at this time. Serotonin rises due to the stress. This is a biologically comfortable state. Three or four hours later however, there is a withdrawal producing weakness, depression, pain and so forth. The symptoms are relieved when the subject eats the addictive food or takes the addictive drug. Thus, both frequency of eating the food, coupled with the satisfying quantities appears to be the answer since this relieves symptoms. This however, is not the answer since it leads to increased calorie intake. The answer for any addiction is avoidance of the addictant whether this is a food or a drug. Fortunately however, a food will desensitize in three months of avoidance following which the food could be used on a once in four day basis without reinstating either the allergy or the addiction. The negative magnetic field method of desensitization does not have to proceed with a 3-month avoidance but only the four day avoidance. Thus, a 4 day diversified rotation diet can be set up immediately with a negative magnetic field exposure before each meal. Within three months, the foods will have desensitized and can be rotated on a four day basis without symptoms developing.

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior to any treatment.

MAGNETIC FAT MELTDOWN

Growth hormone is necessary for fat cells to drop their fat and turn the insoluble fat into a soluble fat. Growth hormone, along with melatonin, is made at night under the influence of a negative magnetic field. Since growth hormone is not made during the waking period, this fat reduction would be at a time when growth hormone is available at night so not only should growth hormone be stimulated to be made by a negative magnetic field but it also would be used in turning insoluble fat into soluble fat which is then dispensed with. A negative magnetic field placed over an obese pot belly causes the fat in the omentum to go back into solution and thus be dispensed with.

METABOLIC SYNDROME DIMENSIONS

The significance of the metabolic syndrome as a diagnostic precursor to cardiovascular disease and maturity onset diabetes as stated in the *AMA Journal*, December 4, 2002 is a wholesome look at early stage metabolic disease processes. This is a welcome focus on preventive medicine. All too often, both patient and physician do not consider the early stage of metabolic diseases. Giving a diagnosis to early stages of degenerative diseases warrants both the patient and his physician to start early treatment for prevention of the late stage metabolic degenerative diseases. Identification and treatment of degenerative disease risk factor components of the metabolic syndrome is a major challenge to health professionals and their patients facing an epidemic of overweight, addiction, immunological reactions and sedentary lifestyle. Roughly one-third of middle age men and women in the United States have the metabolic syndrome.

COMPONENTS OF THE METABOLIC SYNDROME

Fasting plasma glucose of at least 110 mg/DL.

Serum triglycerides of at least 150 mg/DL.

Serum HDL cholesterol of less than 40 mg/DL.

Blood pressure of at least 130/85.

Waist girth of more than 102 cm.

Waist girth of more than 94 cm was suggested for men genetically susceptible to insulin resistance. A waist girth of 40" is the upper limit of normal.

METABOLIC FACTORS AND METABOLIC SYNDROME

The metabolic syndrome is based on a combination of symptoms and laboratory evidence of a mild degree of an assortment of metabolic disorders which are the early risk factors of chronic diseases especially that of maturity onset type diabetes type II and cardiovascular disorders.

My experience of fasting subjects for five days while also removing their environmental chemicals followed by deliberate food exposures of test meals of single foods accompanied by sniff testing and sublingual testing to their environmental chemicals reveals remarkable relief of symptoms and disordered metabolism. The subjects were tested for blood pH and glucose before the fast and before each test meal. They were again tested for blood sugar and blood pH an hour after each test meal. In a small number, insulin was also tested before and after each test meal. Fat metabolism was not a part of the original testing, except pre-testing. Five hundred hospitalized patients were in the original group. These were all mental patients. Degenerative diseases exist in essentially the same degree in mental patients as in the general population. Thus, the examination applied to physical diseases as well as to mental diseases.

It was observed that the acute reactive symptoms and laboratory findings of acute reactions are the same as the symptoms and laboratory test disorders of chronic degenerative diseases. Thus, chronic disease are simply a time extension of the acute reactions. These findings are recorded in my books, *Brain Allergies* and *Vic-*

tory Over Diabetes.

The observations are that a measurable acidity emerged with symptoms and with hyperglycemia. This documented the fact that degenerative diseases are acidic as well as the acute reactions being acidic. The majority of these subjects revealed a carbohydrate disorder with the glucose at or beyond 140/160 mg/DL. This was true in all that had been diagnosed with maturity onset diabetes and also a large number that had not yet been diagnosed as maturity onset diabetics. This revealed that we were tapping into the early stage of the diabetes mellitus disease process and could tell which foods or chemicals were causing the carbohydrate disorder.

Human metabolism has the physiologically normal pH which must be maintained in order for health to proceed. What my research demonstrated is that the main reason for disordered pH is that of maladaptive reactions, mostly to foods and less frequently to chemicals or other inhalants. The pH must be maintained at a minimum of 7.35 to an optimum of 7.45 or beyond.

The fact is that calcium, amino acids and fats are soluble at the normal physiological pH of the blood but become insoluble with a pH below the physiologically normal. A central fact of cardiovascular disorders are the deposits of calcium, amino acids and fats on the cell wall of the arteries of the heart, the carotids and brain as well as these deposits also developing in the arteries themselves to a lesser degree. It requires an acidity for these insoluble deposits to occur. We now know that the major cause of acidity are reactions to foods mainly, and to a lesser degree, chemicals and inhalants. Amyloid which is due to the development of insoluble amino acids is a part of the problem that develops out of these insoluble deposits. Amyloid can become deposited in the brain, producing Alzheimer's. It can be deposited anywhere in the body and it is frequently deposited in the pancreas and around nerves, producing a neuropathy. Calcium becomes deposited in stressful areas where acidity is maintained. Especially, this is noted in the lumbar spine producing spinal stenosis. It develops in inflamed joints or any inflamed tissues because they are also acidic. All of these calciums and amino acid deposits are reversible by placing a negative magnetic field over the area and maintaining this continuously for a period necessary to resolve these insoluble deposits. This occurs because the biological response to the negative magnetic field is that of alkaline-hyperoxia.

Infections are acidifying. Cancer is acidifying. Therefore, a negative magnetic field of sufficient strength and sufficient continuous duration can reverse infections and cancer.

Oxidoreductase enzymes have the responsibility of making the human ATP energy by oxidative phosphorylation and also of processing the toxic end products of metabolism including free radicals. The oxidoreductase enzymes detoxify. The inflammatory substances they make such as acids, peroxides, alcohols and aldehydes are all alkaline-hyperoxic dependent. Therefore, a negative magnetic field is necessary for the function of these enzymes. They also serve as the immediate energy activator of these oxidoreductase enzymes. Magnet therapy has the characteristic of activation of oxidoreductase enzymes and the resolution of calcium, amino acids and fat deposits which are an aspect of the degenerative disease process.

Negative ions have the same biological response of alkaline-hyperoxia as a negative magnetic field and should wisely be used as complementary to negative magnetic field therapy.

MAGNETIC PROTOCOL FOR OBESITY AND WEIGHT MANAGEMENT

ORIENTATION:

Start with a determined ideal weight goal.

Measure the girth of the abdomen. The goal is to be less than

40". **Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior** by maladaptive reactions, either allergic or addictive, to foods that are being used on a virtually daily basis. Usually the subject will also be obese but not necessarily so. A five day fast on water only or a single, infrequently used food such as watermelon reveals that most hypertensive subjects will have a normal blood pressure by the 5th day of this fast. Then feeding meals of single foods will determine which foods are causing the hypertension.

MAGNETS USED:

Minimal program:

Four 4" x 6" x 1/2 " ceramic block magnets with Velcro on the positive pole side.

Three bands, 4" wide and as long as is necessary to reach around the abdomen. The length of a COOL MAX band should be ten inches longer than the girth around the abdomen.

Two ceramic discs that are 1-1/2 " x 1/2 " magnets with Velcro on the positive pole side. One 2" x 26" headband.

Optimal program, add the following:

A super magnetic bed composed of 70 magnets that are 4" x 6" x 1". Thirty-five of these are placed an inch apart, sealed in a wooden grid 36" square. Two of these wooden grids are placed end to end producing a bed 36" x 72". Over this is placed a 2" foam pad, preferably a memory-type foam pad.

Super magnetic head unit composed of twelve 4" x 6" x 1" magnets.

CALORIE REDUCTION

Take a picture of the meal that is characteristically consumed. Estimate the number of calories. Then take a picture of a meal that is one-third less than the original picture and count the calories. Set up a rotation diet following the pattern as outlined in quarterly, *The Ultimate Non-Addiction, Non-Stress Diet*. For a minimum of 15 minutes and preferably 30 minutes before a meal, place the disc magnets bitemporally and hold in place with a band. Place a 4" x 6" x 1/2 " magnet over the heart with the 6" lengthwise the body. Place another 4" x 6" x 1/2 " magnet over the liver. This can be either on the front of the body or the right side of the body. Hold in place with a 4" x 52" body wrap or whatever the length needs to be for that wrap. Eat the size of the meal that has been determined which is one-third less than the original meal that has previously been used. Do not eat anything between meals. If and when there is a desire to eat between meals, then place the discs back on the head bitemporally and if need be, place a 4" x 6" x 1/2 " magnet over the heart and a second one wherever there is discomfort which may be in the epigastric area. It may be that the discs alone can solve the urge to eat between meals or to overeat. Leave the magnets on the head, the heart and the liver during the meal.

PLACEMENT AND DURATION:

Minimal program:

At night, place two magnets a couple of inches apart over the obese abdomen. Hold in place with a body wrap. Place another magnet on the right side of the body over the liver, either on the front of the body or the right side of the body. Hold in place with a body wrap.

Pre-meal:

Place a 4" x 6" x 1/2 " over the heart with the 6" lengthwise the body. Hold in place with a body wrap. Optimum is 30 minutes before and during the meal.

Each month, reduce the size of the meal by one-third. Continue this until the desired weight has been achieved. The discs can be kept in a pocket so that they can be used at any time there is an urge to eat between meals. The subject should have a goal of keeping her or himself comfortable during this calorie reduction and reversal of food addiction.

Optimum program, add the following:

Sleep all night on the 70 magnet bed and with the head in the super magnetic head unit.

MAGNETIC PROTOCOL FOR HYPERTENSION ORIENTATION:

My years of experience with deliberate food testing after a five day fast, has revealed that classically, hypertension is caused

MAGNETS USED:

Minimal program:

Four 4" x 6" x 1/2 " ceramic block magnets with Velcro on the positive pole side.

Three bands, 4" wide and as long as is necessary to reach around the abdomen. The length of a COOL MAX band should be ten inches longer than the girth around the abdomen.

Two ceramic discs that are 1-1/2 " x 1/2 " magnets with Velcro on the positive pole side. One 2" x 26" headband.

Optimal program, add the following:

A super magnetic bed composed of 70 magnets that are 4" x 6" x 1". Thirty-five of these are placed an inch apart, sealed in a wooden grid 36" square. Two of these wooden grids are placed end to end producing a bed 36" x 72". Over this is placed a 2" foam pad, preferably a memory-type foam pad.

Super magnetic head unit composed of twelve 4" x 6" x 1" magnets.

PLACEMENT AND DURATION:

Minimal program:

At night, place two magnets a couple of inches apart over the obese abdomen. Hold in place with a body wrap. Place another magnet on the right side of the body over the liver, either on the front of the body or the right side of the body. Hold in place with a body wrap.

Pre-meal:

Place a 4" x 6" x 1/2 " over the heart with the 6" lengthwise the body. Hold in place with a body wrap. Optimum is 30 minutes before and during the meal.

Optimum program, add the following:

Sleep all night on the 70 magnet bed and with the head in the super magnetic head unit.

If obesity is present, then follow the magnetic protocol as outlined for obesity and add to that the following:

One 4" x 6" x 1/2 " magnet over each kidney on the back side of the body which are held in place with a body wrap. This is to be before and during the meals. The more hours of exposure, the better. Always use a negative magnetic field.

SUCCESS STORY

A 40-year-old woman had severe headaches that could only be managed with narcotics. She had a hypertension of 180/110. She was fasted for five days on water only at which time there was no headache and her hypertension was gone. When she ate a meal of soy, both her headache and her hypertension returned. She was a strict vegetarian and used soy every day as her source of protein.

SUCCESS STORY

An 18-year-old juvenile diabetic taking 60 units of insulin was not in control of his diabetes. He had had laser treatment on his eyes. His blood pressure was 180/110. He had 4+ protein in the urine. He was placed on a rotation diet which took away all the foods that he used with a frequency of twice a week or more. Within a two week period, his insulin requirements were 20 units and his blood sugar was in control. His blood pressure was normal and there was no protein in the urine.

SUCCESS STORY

An 80-year-old man weighing 185 pounds with an abdominal girth of 41" placed two of the 4" x 6" x 1/2 " magnets two inches

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior apart on his abdomen. He held them in place with a 4" x 52" body wrap. He lost a pound a day until he reached 160 pounds. Following this, there was no more weight loss. He had emptied the fat from his omentum and there was no more fat loss after this had occurred. He was already on a 4 day diversified rotation diet. He lost this weight without any reduction in his calorie intake.

ECOLOGIC SYMPTOM EXAMINATION PLUS BIOCHEMICAL MONITORING

From 1970 through 1975, I did a research project at the psychiatric hospital, Fuller Memorial Hospital in South Attleboro, MA. Two books were published giving the details of the results of the research. They were *Brain Allergies* and *Victory Over Diabetes*. Five hundred mental patients were examined. Most were schizophrenics, a few were bipolar and thirty were severely depressed neurotics. All of these individuals required hospitalization. Among these patients was an assortment of chronic degenerative diseases. A number were maturity onset diabetics. Many qualified as metabolic syndrome.

The research system included the following:

A psychiatric and physical examination and bio-chem screen before the research was instituted.

Five days of a water only fast.

There was a series of antibody studies which included Epstein-Barr, cytomegalovirus and human herpes virus #6. Starting on the 6th day after the five day fast, single food meal tests began and continued for the next month. Before each meal and one hour after each meal, the following was done.

1. Symptom severity test with symptom present and severity was placed on a 1-10 intensity.
2. Blood sugar test.
3. Blood pressure test.
4. Pulse test.
5. pH of blood and/or saliva.

Theron G. Randolph, M.D., allergist, had observed the fact that acidity was present when symptoms occurred. Blood sugar and blood pH an hour before and after each meal had never been done before. Dr. Randolph's observation of acidity associated with symptom production proved to be correct. Blood sugar had never been tested before. In maturity onset diabetes type II, specific foods which evoked the blood sugar beyond 140 were in evidence. When these foods were withdrawn from the diet, there was no diabetes. This was so even in patients who were obese and had not yet had the opportunity to reduce their weight. After three months of avoidance, the foods that were evoking hyperglycemia could be reintroduced and would not produce hyperglycemia as long as they were used only once in four days.

My friend, John Potts, M.D., had many diabetic patients. He systematically examined these patients and published in the abstract issue of the *Journal of Diabetes*, four research projects. This confirmed that diabetes was caused by these food reactions and even in those late stage diabetics where insulin was not in adequate supply, two-thirds of these did not need insulin when their foods were sorted out. Between 1976-1990, I was in private practice with a ten bed environmental controlled unit. I also had a large outpatient department. With this, I had a wide assortment of degenerative diseases and numerous diabetics. It was easy to reverse maturity onset type II diabetes. Most hypertension also were reversed by honoring the food reactions. In my original research and in later years, I found many patients that would satisfy the criteria of metabolic syndrome in which there was a mild hypertension, a mild disordered glucose metabolism and a mild disordered lipid metabolism. These all reversed when honoring the fact that foods, chemicals and sometimes other environmental substances such as toxins

were the precipitating cause of this metabolic syndrome.

CONCLUSIONS FROM MY RESEARCH

1. Mental patients routinely became clear of their mental symptoms when fasted for five days. This was indeed an unexpected, shocking revelation.

2. Mental symptoms emerged when exposed to single test meals of foods, chemicals or inhalants and the patient remained mentally clear when these were removed.

3. 95% of the time, foods that had originally produced symptoms, either mental or physical, would not be present if you avoided those foods for three months. After three months, they could be reintroduced into the rotation diet as long as the exposure is no more than once in four days. Only occasionally were there genetic reasons, such as genetic reactions to gluten.

4. The cause of diabetes mellitus type II was reactions to foods, chemicals or inhalants and was not caused by glucose as such. In fact, each sugar - corn, beet, cane, sorghum molasses and honey - had to all be tested separately. Among my patients, I never found a diabetic that would react to maple sugar. The reactions are to the substances from which the sugar is made. For example, you may react to beet sugar but not to cane sugar or maple sugar. Even exposure to honey had an interesting phenomena. The honey gathered from the local area where the subject lives may cause a reaction. Honey from an area where the subject does not live characteristically did not cause a reaction.

5. pH dropped below the physiological normal when symptoms and/or high blood sugar occurred.

6. It was determined that the patients - schizophrenics, manic depressives, hyperkinetic, obsessive compulsive, learning disordered and autistic children - showed the same characteristics of being infected with herpes family viruses, either Epstein-Barr, cytomegalovirus or human herpes virus #6 as the adult schizophrenics and manic depressives. Also it was determined that all the behavioral and learning disordered children were candidates to become schizophrenics in their 20's. The history of schizophrenics included these learning disorders, attention deficit disorders and obsessive compulsive disorders quite routinely. Thus, it was determined there is a spectrum of organic brain disorders having the same source and that is a childhood infection with one of the herpes family viruses. Reactions to foods, chemicals and inhalants is a secondary phenomena. These lymphotropic viruses do infect the lymph system including the B-lymphocytes that make antibodies. They also are neurotrophic and invade the neurones of the central nervous system, especially the pre-frontal, frontal and temporal areas of the brain. Thus the person is more allergic and becomes addicted more easily to these foods. When a food reaction does occur, the organ selected for reaction is the injured area which in this case is the central nervous system, especially the brain.

During the past twenty years from 1983 to 2003, I have been involved in research examining the value of magnetic therapy. I have determined that if you expose the person magnetically before a meal, the reaction does not occur. For this, two ceramic disc magnets that are 1-1/2 " x 1/2 " are placed bitemporally. A 4" x 6" x 1/2" magnet is placed over the heart and one over the liver. All of these have the negative pole facing the body. With 15-30 minutes exposure pre-meal, symptoms do not develop. Thus a person can go on a rotation diet immediately without an avoidance period of three months of the reactive foods.

A negative magnetic field is an effective antibiotic. Therefore, the infections that are so prone to develop in diabetes can be prevented and reversed with a negative magnetic field. Also, diabetic neuropathy and other toxic neuropathies can be effectively treated with the negative magnetic field.

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior

MAGNETIC PROTOCOL FOR METABOLIC SYNDROME

ORIENTATION:

This protocol can function for a physician-monitored magnetic protocol for the metabolic syndrome or self-help magnetic protocol for the metabolic syndrome. The metabolic syndrome is diagnosed by three or more of the following:

1. Mild degree of abnormal level fasting blood sugar.
2. Hyperinsulinism-hypoglycemia syndrome precipitating weakness, headaches, depression, increase in neurotic symptoms, major mental symptoms, hypertension or hypotension.
3. Mild degree of disordered lipid metabolism.
4. Mild degree of hypertension.
5. Obesity with waistline of 40" or more.
6. Disordered pulse.

EQUIPMENT FOR SELF-HELP

1. Stethoscope for monitoring hypertension.
2. Glucometer for monitoring blood sugar.

MAGNETS USED:

Minimal program:

Two 1-1/2" x 1/2" ceramic disc magnets with Velcro on the positive pole side.

One 2" x 26" headband.

Two 4" x 6" x 1/2" ceramic block magnets with Velcro on the positive pole side.

Two 4" x 52" body wraps.

Mega-field slumber pad composed of mini-block magnets 1-7/8" x 7/8" x 3/8" placed 1-1/2" apart. The sizes are single bed, queen and two of the single beds are used for a king bed.

Vitality Sleeper. This is composed of four 4" x 6" x 1" magnets placed in a row in a wooden carrier up against the headboard.

Optimal program:

A 70-magnet bed composed of ceramic block magnets that are 4" x 6" x 1" placed 1" apart. Thirty-five of these are placed in a wooden carrier, 36" square. This weighs 200 pounds. Two of these wooden frames are placed end to end producing a bed 36" x 72" with a total weight of 400 pounds.

Super magnetic head unit composed of twelve 4" x 6" x 1" magnets that surround the head. The mega-field slumber pad with the Vitality Sleeper is replaced by the 70-magnet bed and super magnetic head unit.

Two 1" x 1/8" neodymium discs.

PLACEMENT AND DURATION

For the minimal program:

Sleep on the mega-field slumber pad with the Vitality Sleeper up at the headboard so as to provide a strong negative magnetic field at the top of the head.

The ceramic discs are used pre-meal or whenever there are any symptoms such as headache, anxiety, tension and so forth.

The 4" x 6" x 1/2" magnets are used pre-meal as described below and a 4" x 6" x 1/2" magnet is worn over the heart at night.

For the optimal program:

Use the super magnetic bed of 70 magnets. Place over this a foam pad. The best is a memory foam pad, 2" thick. The Vitality Sleeper is replaced with the super magnetic head unit of twelve magnets. Sleep every night on this 70-magnet bed and super magnetic head unit. Use the ceramic discs and the ceramic block magnets pre-meal and also use the 4" x 6" x 1/2" magnet over the heart at night during sleep.

For infected areas, (skin or teeth), use two 1" x 1/8" neodymium discs taped over the infected area.

GENERAL INFORMATION ABOUT THE 4-DAY DIVERSIFIED ROTATION DIET

The essence of the 4-Day or 7-Day Diversified Rotation Diet is that foods are rotated on a four or seven day basis, thus preventing their maladaptive reactions, be these allergies or addictions.

One method is to avoid food eaten twice a week or more for a period of three months, rotating all other foods. At the end of three months, then place these frequently used foods back into the diet, rotated once in four days.

Another method that is preferred by some is to start rotating all foods, even those that are eaten frequently. This can be achieved if the subjects will treat themselves to magnets for 15-30 minutes ahead of the meal. To achieve this, place the ceramic disc magnets bitemporally, that is in the front of the ears at the level of the top of the ears. These are held in place with a 2" x 26" band. The discs are ceramic discs that are 1-1/2" x 1/2". The negative magnetic field is always placed facing the body. On the positive magnetic field side, there is hook Velcro that will hook to the band around the head and hold these in place. At the same time, place a 4" x 6" x 1/2" magnet on the heart with the 6" lengthwise the body. Hold this in place with a 4" x 52" body wrap. Also, place a 4" x 6" x 1/2" magnet with the 6" lengthwise the body over the liver area which is on the right side of the body with half of the magnet over the rib cage and half below the rib cage. Hold this in place with a 4" x 52" body wrap. The minimum time of exposure should be 15 to 30 minutes or more before each meal. With this method, there is no avoidance period of the commonly used foods.

NEGATIVE ION HOUSEHOLD AIR TREATMENT

The biological response to negative ions and negative magnetic fields are the same. The biological response to negative ions and a negative magnetic field is alkaline-hyperoxia. Alkaline-hyperoxia is anti-inflammatory, anti-stress, antibiotic, energizing and aids in healing. Negative air ions plus a small amount of ozone in the air cleans the air from dust, microorganisms, pollen, smoke, chemicals, odors and so forth. Negative ions in the air clean up the environment whereas a negative magnetic field is used on the body to achieve the same values inside the body. Thus, negative air ions, negative water ions and a negative magnetic field are complementary and should be used together to achieve optimum results.

AIR NEGATIVE ION GENERATORS

LIVING AIR CLASSIC

Covers up to 3,000 square feet. Useful for living room size areas.

ECOHELP

LIVING AIR CLASSIC with air filter. Especially useful for respiratory disorders.

LIVING BREEZE

Covers 1,200 square feet. Useful for small rooms such as bedrooms.

Air negative ions are absorbed through the mucus membrane of the nasopharynx and lungs as well as the skin. Water negative ions from electronic produced negative ion - micro water and/or naturally occurring negative ion water such as Nariwa water are absorbed through the mucus membrane of the gastrointestinal tract. Colloidal silver antibiotic negative ions are absorbed through the mucus membrane of the mouth and gastrointestinal tract.

ALKALINE MICRO NEGATIVE ION WATER:

Alkaline micro negative ion water helps materially to maintain the body's normal alkaline state. Also, being micro water, it enters into the cells of the body more readily than the usual water. This also carries negative ions as well as being alkaline. The AKAI Electrolysis Instrument is used for producing the alkaline micro water. At least five glasses of this water should be used each day.

NARIWA WATER:

Nariwa water is a negative ion water from Japan's magnetic

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior mountain. This comes in a bottle containing 500 cc. A minimum of one of these bottles should be used a day and preferably, two or more. The total amount of water used during a day should be a minimum of eight glasses of water and preferably as much as a total of ten glasses of fluid intake.

POLARITY:

Always use a negative magnetic field.

RESEARCH CONSIDERATIONS:

It is requested that reports from the subject be made to William H. Philpott, M.D. at three month intervals whether this is physician monitored or self-help.

BEYOND MAGNETISM:

Acute maladaptive reactions to foods, chemicals, inhalants or stress frequency pulsing fields has been documented as producing a brief state of acid-hypoxia. In this state, there is a production of acid and a failure to process properly the end-products of oxidation phosphorylation metabolism. In this state of acidosis, oxygen content is reduced. Maladaptive reactions to foods are the most frequent cause of bouts of acidosis. Degenerative diseases are noted for their acid-hypoxic state. Therefore, every effort should be made to maintain a normal alkaline and normal oxygen state.

A majority of people are maladaptively reacting in one or more ways to foods, thus producing bouts of acidosis and reduced oxygen. It is the better part of wisdom to follow a 4-Day or 7-Day Diversified Rotation Diet. This program leaves out foods that are used as frequently as twice a week or more for a period of three months. This is based on the assumption that these foods are being reacted to in some maladaptive way. It is the frequency of the use that produces the maladaptive reactions. A 4-Day or 7-Day Diversified Rotation Diet is set up to leave out these frequently used foods. After three months, these frequently used foods can be returned to the diet, usually without any symptoms being produced.

All addictive substances should be abandoned such as addictive drugs, alcohol, tobacco and caffeine (coffee, tea with caffeine, chocolate, and soft drinks containing caffeine). Addiction is acidifying.

Carbonated soft drinks are acid and should be rarely used. Soft drinks are sweetened with corn sugar and if and when used should be limited to the corn rotation day.

There is a valuable method of electrolysis which provides an alkaline micro negative ionized water that has an alkaline pH, negative charged ions and negatively magnetically charged oxygen and water. There is a home electrolysis unit (The AKAI Electrolysis Instrument) that provides this alkaline micro water. It is recommended that five glasses of this alkaline micro water be used a day.

Nariwa water is a naturally negative ionized water from Japan's magnetic mountain and is the optimum alkaline micro water available. This comes in a bottle containing 500 cc. A minimum of one of these bottles should be used a day and preferably, two or more. The total amount of water used during a day should be a minimum of eight glasses of water and preferably as much as a total of ten glasses of fluid intake.

In order to maintain an adequate alkaline state, it is necessary that the minerals that are used in the bicarbonate buffer system be in adequate supply. These are the minerals calcium, magnesium, potassium and zinc. There are several proprietary preparations that contain these minerals associated with vitamin C as ascorbates. Use 1/2 teaspoon to 1 teaspoon of one of these powders in one-half glass of water, two times a day. The preferred time to take the alkaline minerals is in the morning on arising and before going to bed. Before using this mineral alkaline water, place it on the negative magnetic field of a 4" x 6" x 1/2" magnet for a minimum of five minutes or more. This will charge up the water and the oxygen in

the water with a negative magnetic field which will help the body maintain its normal alkaline state. When using micro alkaline water, the mineral water need not be placed on a magnet since it is already magnetically charged.

TREATMENT OF COMPLICATIONS

There are vascular complications of the emerging diabetes mellitus process either in its early stage of the metabolic syndrome or its late stage of clinically significant diabetes mellitus. It is wise to wear a 4" x 6" x 1/2" magnet over the heart at night during sleep, held in place with a 4" x 5/2" body wrap. Always use a negative magnetic field facing the body.

Another complication is neuropathy pains. These are especially noted in the feet as sharp, fleeting pains. Place the feet on the 4" x 6" x 1/2" magnets with the negative magnetic field facing the feet. This has been observed to correct diabetic neuropathy.

Infections develop with poor defense against the infection. These are often mixed fungal and bacterial. Place the 4" x 6" x 1/2" magnet over this area and keep it in place as many hours as you can until the infection heals. A negative magnetic field is an effective antibiotic whether it is a bacteria, fungus or a virus. It will also materially aid healing. The teeth are often infected in diabetes mellitus. A 1" x 1/8" neodymium disc magnet can be placed on the face over the affected tooth and be used thus as an antibiotic. Tape this on the face over the affected tooth.

move the enzyme and the substrate together. Once they move, now a magnetic field is created because this is what a magnetic field is all about. It is produced by the movement of electrons. Also, a magnetic field from an external source that is a static magnet field will also produce the movement of electrons. This is why an external source of a static magnetic field will cause the enzyme and the substrate to join because it is moving electrons.

SUCCESS STORY

A 45-year-old man with paranoid schizophrenia and diabetes mellitus type II in poor control had a delusion that he killed a man. He spent many hours obsessing with overwhelming guilt and depression. The circumstances was that of driving on a narrow mountain road. He met another car and took the inside road, forcing the other car to be on the outside road next to a steep cliff. The delusion was that the car had fallen off of the road and killed the driver. He was fasted for five days and his obsessional concern about this mountain road experience disappeared. Also, his blood sugar was normal by the 5th day. When he was food tested for wheat, he had a blood sugar within an hour of 200. At the same time, his obsessional delusion returned. Several other foods gave minor blood sugars beyond normal. He was placed on a rotation diet which left out, for three months, the foods that showed symptoms or hyperglycemia.

I returned him to his internist with the full account of his food testing. He now was in complete control of the diabetic state. The internist observed that the evidence was that the diabetes had disappeared but he commented, "I can tell you one thing. Food allergy and food addiction have nothing to do with the cause of diabetes. This doctor just by chance found a better diet for you".

This was the first diabetic patient I had treated with the ecologic examination while monitoring for blood sugar and pH. I was thrilled over the discovery of the connection between food reactions and diabetes. It was with a degree of enthusiasm that I presented this to his internist. It was disappointing when the internist rejected any relationship between the food test and his patient's diabetes. How could he dare to deny the relationship when it was presented to him and therefore could not be denied.

A Mexican woman with diabetes mellitus type II out of control was fasted for five days at which time her blood sugar was

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior normal. When given a whole meal of maple sugar, she did not show any hyperglycemia. When given a meal of pinto beans, there was her hyperglycemia. It is the maladaptive reaction (allergic, addictive, toxic) to specific foods, be they carbohydrates, proteins or fats and not to glucose as such that causes diabetes mellitus.

I was making a presentation at a medical meeting and I made the statement that the disordered biochemistry of food addiction and maturity onset diabetes are one and the same. A physician spoke up, declaring, "that is not so." I told him that I could understand his remark, since he had not monitored the evidence. I invited him to my office. He spent five days watching me monitor the blood sugar of patients, some of which would justifiably be diagnosed as clinically significant diabetes. Many others could justifiably be diagnosed as metabolic syndrome disorder. He observed the evidence of the reaction to foods producing hyperglycemia in both types of cases. At the end of five days, he came to me and explained that he had objectively observed that I was right, that you could tell specifically which foods evoked hyperglycemia. He told me that he was a specialist in diabetes, that he had just completed the best residency that he could find in New York City. From his residency training, he knew nothing about maladaptive reactions to specific foods causing hyperglycemia. His statement was "you are right. You have changed the way I will practice medicine."

At 54 years of age, I became dizzy. A chem strip test demonstrated a fasting blood sugar of 250. This was a big surprise to me. I had no idea that I had diabetes mellitus. I was in the midst of my research of testing foods on patients and had discovered these high blood sugars are in response to specific foods and/or of hyperglycemia response to some chemicals to which the subject was symptomatically reacting. I fasted for five days at which time my blood sugar was normal. Meals of single foods demonstrated that all foods that contained gluten gave me a high blood sugar. In response to cow's milk, I had bursitis, sore elbows and tenosynovitis in my right wrist. I proceeded to follow the rules of leaving these reactive foods out for a period of three months and then returning them to a 4 day diversified rotation diet. That was 30 years ago. I am now 84 and have had no evidence of diabetes mellitus and no evidence of rheumatoid symptoms during these 30 years.

I have reversed diabetes in large numbers of maturity onset diabetes cases. I reversed the metabolic syndrome in even larger numbers of cases. The answer is a rotation diet.

A patient with a temporal lobe seizure state when fed eggs became disoriented. A week later, I placed 1-1/2 " x 1/2 " disc magnets with the negative pole facing the temples. One half hour later, I fed the subject eggs and no symptoms develop.

A teenage schizophrenia-affective patient who had attempted suicide was examined with deliberate food testing. She was symptom-free after five days of a fast. When given wheat, her affect became flat. She had a headache. She couldn't tolerate being in the same room with other patients who were being tested. I took her to a room where she was by herself. I placed ceramic disc magnets bitemporally and a strip magnet down the spine. She promptly fell asleep. I let her sleep for 45 minutes. When I woke her up she was completely symptom-free and went back to the test room with the other patients. A week later, I placed magnets bitemporally and on her spine for 1/2 hour before feeding her a test meal of the food that had evoked her psychotic symptoms. No symptoms emerged. Thus I demonstrated that not only could I relieve symptoms with a negative magnetic field of a magnet, but I could also prevent symptoms from occurring even in the face of feeding the food that was known to evoke these symptoms.

A negative magnetic field prevents symptoms from developing. If used for self-help, this allows a subject to go directly to a

rotation diet preventing symptoms from occurring. There does not have to be a 3-month wait before the food is introduced back into the diet. A negative magnetic field is desensitizing to these reactions.

I have helped many diabetics reverse their poorly controlled diabetes by the simple fact of leaving out their most common foods while doing a 4 day or 7 day diversified rotation diet. There can be an avoidance of three months before introducing these foods back into the rotation diet or even an easier way to do this is to treat the subject to magnets for 15-30 minutes pre-meal while instituting a rotation diet including all foods.

I tested large numbers of subjects that fit the criteria of the metabolic syndrome. This syndrome is easily reversed with a 4 day or 7 day diversified rotation diet. Thus, the subject is prevented from developing chronic degenerative diseases which are the end stage of the metabolic syndrome.

SEVEN-DAY ROTATION DIET

This rotation diet is to be used by those who have many allergies. By having less frequent contacts with food, the system should clear faster, making the diet better tolerated.

The recommended usage to clear the system is to have only one contact with each food in seven days, still rotating the foods in family groups. Any of the foods listed for that day may be used, but only one contact with each food. This is best accomplished by using two to four foods at one meal, and not repeating these foods at a following meal. Do not repeat any food the second time.

Rarely is there a person who can eat only one food with each meal since combinations of any type give symptoms. In this case, six meals a day can be used keeping them on a seven-day rotation program.

Heating foods in oils reduces the absorption rate and reduces symptoms. Oils should be rotated. Use corn, safflower, peanut, olive, soy and cottonseed oils, butter, lard and other animal fats, and others. Heating in a Chinese wok is ideal. For these very sensitive persons requiring foods heated in oils, a seven-day rotation diet is preferred.

This 7-Day rotation diet is also useful for subjects in good control for its convenience. One day of the week can be designed where cereal grains containing gluten can be combined with dairy products, making available foods containing both. Some find that one day a week, they can eat anything without reinstating their maladaptive reactions. Some even find that they can eat the same food two days in a row without developing symptoms.

Sprouting cereal grains and legumes, makes it possible to eat these same foods twice in a week in which one day they are using the non-sprouted foods and another day they are using the sprouted foods.

The 4 day diversified rotation diet, which is commonly used, is provided in the Magnetic Health Quarterly, *The Ultimate Non-Addiction, Non-Stress Diet*, Volume VI, First Quarter 2000.

SEVEN DAY ROTATION DIET

Seven Day Rotation diet

Day 1 -- Sunday

FOOD FAMILIES

Apple:	apple, pear, quince
Mulberry:	mulberry, figs, breadfruit
Honeysuckle:	elderberry
Olive:	black, green or stuffed with pimento
Gooseberry:	currant, gooseberry
Potatoe:	potato, tomato, eggplant, peppers (red and green), chili pepper, paprika, cayenne
Lily:	onions, garlic, asparagus, chives, leeks
Grass:	wheat, corn, rice, oats, barley, rye, wild rice,

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior

Bovid: cane, millet, sorghum, bamboo sprouts
 milk products, butter, cheese, yogurt, beef
 and pure beef products, lamb
 Herb: basil, savory, sage, oregano, horehound,
 catnip, spearmint, peppermint,
 thyme, marjoram, lemon balm
 Tea: elder, mint, catnip
 Oil: olive, corn, 100% corn oil margarine, butter
 Juices: juices may be made and used without added
 sweeteners from the following:
 Fruits - any listed above in any combination
 desired
 Vegetables - any listed above in any
 combination desired
Seven-Day Rotation
Day 1 - Sunday

Breakfast

Apples applesauce and juice

American cheese

Mint tea

Potato

Currants

Lunch

Potato

Asparagus

Beef

Figs

Onions

Olives (Black)

Gooseberries

Dinner

Olives (Green)

Tomato

Lamb (or beef)

Tomato Juice

Eggplant

Pears, sauces & Juice

*This menu is prepared for the no-milk and no-cereal grain
 program. Most can eat these after a three-month abstinence.

Seven-Day Rotation

Day II - Monday

FOOD FAMILIES

Citrus: lemon, orange, kumquat, citron,
 grapefruit, lime, tangerine

Parsley: carrot, celery, parsley, anise,
 parsnip, celery, celery seed, dill,
 cumin, coriander, caraway, fennel

Pepper: white pepper

Herbs: mace

Walnut: English walnut, black walnut, pecan,
 hickory nut, butternut

Bird: chicken, goose, quail and their eggs

Tea: Comfrey tea, comfrey greens, fennel

Oil: fat from any bird listed above

Sweetener: orange honey - use sparingly

Juices: juices may be made and used without
 adding sweeteners from the
 following:

Fruits - any listed above in any
 combination

Vegetables - any listed above in any
 combination

Seven-Day Rotation

Day II- Monday

Breakfast

Grapefruit

Walnuts

Eggs

Comfrey tea

Lunch

Carrots

Parsley

Chicken

Eggs

Parnips

Dinner

Orange

Pecans

Chicken or other fowl listed

Celery

Celeriac

Seven-Day Rotation

Day III- Tuesday

FOOD FAMILIES

Grape: all varieties of grapes and raisins

Rose: strawberry, raspberry, blackberry,
 dewberry, loganberry, youngberry,
 boysenberry, rose hips

Peas: pea, black-eyed pea, dry beans, string
 beans, carob, soy beans, lentils,
 licorice, peanut, alfalfa

Flaxseed: flaxseed

Tea: alfalfa tea, rose hip tea

Oil: peanut or soy

Sweetner: carob syrup (use sparingly), clover
 honey (if honey isn't used on any
 other day)

Swine: all pork products arrowroot

Arrowroot: arrowroot

Juices: juices may be made and used without
 adding sweeteners, from the
 following:

Fruits - any listed above in any
 combination

Vegetables - any listed above in any
 combination

Seven-Day Rotation

Day III - Tuesday

Breakfast

Raisins

Alfalfa tea

Limas

Grapes

Lunch

Shell Beans

Strawberries

Boysenberry

Peas

Pork

Boysenberry

Dinner

Lentils or other beans

String Beans

Blackberry

Peanut Butter (old fashioned)

Raspberry

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior

Pork			
	<i>Seven-Day Rotation</i>	Mallow:	greens
	<i>Day IV - Wednesday</i>	Cashew:	okra, cottonseed
FOOD FAMILIES		Tea:	cashew, pistachio, mango
Blueberry:	blueberry, huckleberry, cranberry, wintergreen	Pedaliium:	fenugreek
May apple:	may apple	Oil:	sesame
Aster:	lettuce, chicory, endive, escarole, artichoke, dandelion, sunflower seeds, tarragon, oyster plant (salsify) cellulose	Mollusks:	cottonseed, sesame
Morning Glory:	Sweet potato (not yam)	Crustaceans:	abalone, snail, squid, clam, mussel, oyster, scallop
Laurel:	avacado, cinnamon, bay leaf, sassafras, cassia buds or bark		crab, crayfish, lobster, prawn, shrimp
Protea:	macadamia nut	Juices:	juices may be made and used without adding sweeteners, from the following:
Beech:	chestnut		Fruits - any listed above in combination
Orchid:	vanilla		Vegetables -- any listed above in combination
Fungus:	mushrooms and yeast		<i>Seven-Day Rotation</i>
Salt water fish	sea herring, anchovy, cod, sea bass, sea trout, mackerel, tuna, swordfish, flounder, sole		<i>Diet V - Thursday</i>
Fresh Water Fish:	sturgeon, herring, salmon, pike, white fish, bass, perch, sunfish, bluegill	<u>Breakfast</u>	
Oil:	avocado	Cantaloupe	
Tea:	sassafras tea, papaya	Zucchini and/or pumpkin	
Spurge:	tapioca	Cashews	
Juices:	juices may be made and used without adding sweeteners, from the following:	<u>Lunch</u>	
	Fruits - any listed above in any combination	Watermelon	
	Vegetables - any listed above in combination	Pistachios	
any		Winter squash	
	<i>Seven-Day Rotation</i>	Shellfish	
	<i>Day IV - Wednesday</i>	<u>Dinner</u>	
<u>Breakfast</u>		Pineapple	
Blueberry		Shellfish	
Huckleberry		Okra	
Sunflower seeds		Cucumber	
Fish		Summer Squash	
<u>Lunch</u>		Sesame Seeds	
Cranberry Juice (dietetic)		Sesame seed milk	
Lettuce and others in family for a salad		*Vary the types of shellfish with each meal	
Fish			<i>Seven-Day Rotation</i>
Salsify or Oyster Plant			<i>Diet VI - Friday</i>
Sweet Potato (light yellow flesh)		Banana:	banana, plantain, arrowroot (musa)
<u>Dinner</u>		Pomegranate:	pomegranate
Avocado		Ebony:	persimmon
Chestnuts		Palm:	coconut, dates, date sugar, sago, palm cabbage
Mushrooms		Pepper:	black pepper, peppercorn
Fish		Herbs:	nutmeg
*Vary the types of fish with each meal		Beet:	beet, chard, spinach, lambs quarters (greens)
	<i>Seven Day Rotation</i>	Birch:	filbert, hazelnut
	<i>Day V - Thursday</i>	Bird:	turkey, duck, pigeon, pheasant and their eggs
FOOD FAMILIES		Tea:	lemon verbena
Pineapple:	(juicepack, waterpack or fresh and frozen without added sugar)	Oil:	coconut oil and fat from any bird listed above
Melon (gourd)	watermelon, cucumber, cantaloupe, pumpkin, squash (all varieties), other melons, zucchini, summer squash	Sweetener:	date sugar or beet sugar (use sparingly)
Pursulane:	pursulane, New Zealand spinach	Juices:	juices may be made and used without adding sweeteners, from the following:
			Fruits - any listed above in combination
			Vegetables - any listed above in combination

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior

*Seven-Day Rotation
Diet VI - Friday*

Breakfast

Hazel nuts or Filberts
Bananas

Duck eggs

Lunch

Beets
Beet greens
Lambs quarteers (greens)

Turkey

Pomegranate

Fresh coconut

Coconut milk

Dinner

Spinach

Dates

Turkey or Duck

Persimmons

*Seven-Day Rotation
Diet VII - Saturday*

FOOD FAMILIES

Plum:

plum, cherry, peach, apricot,
nectarine, almond, wild cherry,
also small amounts of any
natural dried fruit listed above

Mustard:

mustard, turnip, radish, horse
radish, watercress, cabbage,
kraut, chinese cabbage, broccoli,
cauliflower, brussel sprouts,
collards, kale, kohlrabi, rutabaga

Buckwheat:

buckwheat, rhubarb

Yam:

yam, chinese potato

Subucaya:

Brazil nut

Conifer:

pine nut

Oil:

safflower

Tea:

safflower, ate

Bovid:

lamb

Sweeteners:

buckwheat, safflower, sage, if
honey -- not used on any other
day

Juices:

juices may be made and used
without adding sweeteners, from
the following:

Fruits: any listed above in any
combination

Vegetables: any listed above in any
combination

*Seven-Day Rotation
Diet VII - Saturday*

Breakfast

Apricots

Buckwheat Grits

Almonds

Cherries

Nectarine

Juices of either fruit or mixed

Lunch

Plums

Watercress

Yam (dark yellow - pink flesh)

Broccoli

Turnips

Turnip Greens

Prunes

Cabbage or Sauerkraut

Lamb

Radishes

Mustard Greens

Dinner

Peaches

Brussel Sprouts

Cauliflower

Lamb

Rhubarb

Collards

Kale

Yam

Brazil nuts

*May need to use lamb only once

FINAL WORD

The metabolic syndrome is composed of metabolic risk factors for developing diabetes mellitus type II and cardiovascular disease. Appropriate treatment of these degenerative disease risk factors is a major preventive medicine challenge for both medical science and personal health.

Metabolic degenerative disease risk factors can be assessed by a system of avoidance for five days of the common stress factors followed by a single, deliberate exposure to each stress factor, monitored for the emergence of symptoms and laboratory assessed disordered metabolism such as hyperglycemia, hypertension, cardiac irregularities, disordered lipid metabolism and obesity. These common stress risk factors are allergies especially to foods, addictions especially to foods and with also any addiction being a significant risk factor, toxicities and infections. Initial avoidance and later, spacing of contact with food allergies and food addictions and reversing all addictions is a major step in solving the chronic stress leading to degenerative diseases. Toxicity can be processed out of the body. It is important that nutrition be optimized.

The good news is that a negative magnetic field provides biological anti-stress and the maintenance of the necessary alkaline-hyperoxia for the maintenance of the defense against the development of early stage degenerative disease risk factors as well as reversal of established clinically significant metabolic degenerative diseases.

A rotation diet relieves the stress of food allergies and food addiction.

A negative magnetic field producing an alkaline-hyperoxia biological response reverses the acid-hypoxic produced insoluble deposits of calcium, fats amino acids (amyloid), advanced glycosylation end-products (AGES) (toxic chemical compound of amino acids - glucose from hyperglycemia) , wherever they have occurred in the body.

A negative magnetic field is an effective antibiotic and anti-cancer agent.

References

BECKER, ROBERT O. "Cross Currents". Jeremy P. Tarcher, Inc. Los Angeles, CA, 1990.

BECKER, ROBERT O. and SELDON, G. "The Body Electric. Electromagnetism and the Foundation of Life." William Morrow and Company. NY. 1986.

BECKER, ROBERT O. and MARINO, A. "Electromagnetism and Life". State University of New York Press; Albany, NY 1982.

DAVIS, A.R. and RAWLS, W. "The Magnetic Blueprint of Life.". Acres USA, Kansas City, MO, 1979.

DAVIS, A.R. and RAWLS, W. "The Magnetic Effect". Acres

Medical data is for informational purposes only. You should always consult your family physician, or one of our referral physicians prior

USA, Kansas City, MO 1975

DAVIS, A.R. and RAWLS, W. "Magnetism and Its Effect on the Living System". Acres USA, Kansas City, MO 1976.

Encyclopedia Britannica. Vol 15, page 1060. 1986 edition.

FERSHT, Alan., *Enzyme Structure and Mechanism*. Second Edition. W.H. Freeman and Co. New York, New York. 1994

KLONOWSKI, W and KLONOWSKI, M. *Journal of BioElectricity. Aging Process and Enzymatic Proteins*. 4(1), 93-102 (1985).

LAKKA, HANNA-MAARIA, M.D., Ph.D., et al *JAMA* , December 4, 2002. Vol 288, No. 21, Pg 2709

PHILPOTT, W.H., M.D. and KALITA, Dwight, Ph.D., *Victory Over Diabetes: A Bio-Electric Triumph*. Keats Publishing Company, Inc. New Canaan, CT. 1982 (1991 paperback with new chapter on Medical Magnetism).

PHILPOTT, W.H., M.D., *Magnetic Health Quarterly, Diabetes Mellitus*, Vol III, Second quarter, 1997

PHILPOTT, W.H., M.D. and KALITA, Dwight, Ph.D., *Brain Allergies. The Psycho-nutrient and Magnetic Connections*. Updated second edition. Keats Publishing NTC/Contemporary Publishing Group. Los Angeles, CA , 2000.

PHILPOTT, W.H., M.D. and KALITA, Dwight, Ph.D., *Brain Allergies*, updated second edition. Keats Publishing NTC/Contemporary Publishing Group, Los Angeles, CA 2000

PHILPOTT, W.H., M.D. and KALITA, Dwight, Ph.D., *Magnet Therapy*. (Tiburon, CA: alternativemedicine. com, 2000)

POTTS, JOHN, *Journal of Diabetes*. Avoidance Provocative Food Testing in Assessing Diabetes Responsiveness." 26:Supplement 1, 1977.

POTTS, JOHN, *Journal of Diabetes*. "Value of Specific Testing for Assessing Insulin Resistance." 29: Supplement 2, 1980.

POTTS, JOHN, *Journal of Diabetes*. "Blood Sugar-Insulin Responses to Specific Foods Versus GTT." 30:Supplement 1, 1981.

POTTS, JOHN, *Journal of Diabetes*. "Insulin Resistance Related to Specific Food Sensitivity." 35: Supplement 1, 1986.

BRAUNWALD, Eugene. *Harrison's Principles of Internal Medicine*. 11th edition 1987. McGraw-Hill Book Company, NY.

STEIN, Jay H. *Internal Medicine*. 4th Edition. 1994. P. 340-524. Mosby Publishers. St. Louis.